

# Package ‘DFA.CANCOR’

November 6, 2020

**Type** Package

**Title** Linear Discriminant Function and Canonical Correlation Analysis

**Version** 0.2.0

**Date** 2020-11-06

**Author** Brian P. O'Connor

**Maintainer** Brian P. O'Connor <brian.oconnor@ubc.ca>

**Description** Produces SPSS- and SAS-like output for linear discriminant function analysis and canonical correlation analysis. The methods are described in Manly & Alberto (2017, ISBN:9781498728966), Tabachnik & Fidell (2013, ISBN-10:0-205-89081-4), and Venables & Ripley (2002, ISBN:0-387-95457-0).

**Imports** MASS, MVN, graphics, stats

**LazyLoad** yes

**LazyData** yes

**License** GPL (>= 2)

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2020-11-06 13:00:02 UTC

## R topics documented:

DFA.CANCOR-package . . . . .	2
CANCOR . . . . .	2
data_CCA_De_Leo . . . . .	4
data_CCA_Tabachnik . . . . .	5
data_DFA_Field . . . . .	6
data_DFA_Sherry . . . . .	6
DFA . . . . .	7
homogeneity . . . . .	10
linearity . . . . .	12
normality . . . . .	13
plot_linearity . . . . .	15

---

DFA.CANCOR-package	<i>DFA.CANCOR</i>
--------------------	-------------------

---

### Description

Provides SPSS- and SAS-like output for linear discriminant function analysis (via the DFA function) and for canonical correlation analysis (via the CANCOR function). There are also functions for assessing the assumptions of normality, linearity, and homogeneity of variances and covariances.

---

CANCOR	<i>Canonical correlation analysis</i>
--------	---------------------------------------

---

### Description

Produces SPSS- and SAS-like output for canonical correlation analysis. Portions of the code were adapted from James Steiger ([www.statpower.net](http://www.statpower.net)).

### Usage

```
CANCOR(data, set1, set2, plot, plotCV, plotcoefs, verbose)
```

### Arguments

<code>data</code>	A dataframe where the rows are cases & the columns are the variables.
<code>set1</code>	The names of the continuous variables for the first set, e.g., <code>set1 = c('varA', 'varB', 'varC')</code> .
<code>set2</code>	The names of the continuous variables for the second set, e.g., <code>set2 = c('varD', 'varE', 'varF')</code> .
<code>plot</code>	Should a plot of the coefficients be produced? The options are: TRUE (default) or FALSE.
<code>plotCV</code>	The canonical variate number for the plot, e.g., <code>plotCV = 1</code> .
<code>plotcoefs</code>	The coefficient for the plots. The options are 'structure' (default) or 'standardized'.
<code>verbose</code>	Should detailed results be displayed in the console? The options are: TRUE (default) or FALSE.

**Value**

If verbose = TRUE, the displayed output includes Pearson correlations, multivariate significance tests, canonical function correlations and bivariate significance tests, raw canonical coefficients, structure coefficients, standardized coefficients, and a bar plot of the structure or standardized coefficients.

The returned output is a list with elements

cancorrels	canonical correlations and their significance tests
CoefRawSet1	raw canonical coefficients for Set 1
CoefRawSet2	raw canonical coefficients for Set 2
CoefStruct11	structure coefficients for Set 1 variables with the Set 1 variates
CoefStruct21	structure coefficients for Set 2 variables with the Set 1 variates
CoefStruct12	structure coefficients for Set 1 variables with the Set 2 variates
CoefStruct22	structure coefficients for Set 2 variables with the Set 2 variates
CoefStandSet1	standardized coefficients for Set 1 variables
CoefStandSet2	standardized coefficients for Set 2 variables
mv_Wilk	Wilk's multivariate significance test
mv_Pillai	Pillai-Bartlett multivariate significance test
mv_Hotelling	Hotelling-Lawley multivariate significance test
mv_Roy	Roy's Largest Root multivariate significance test
mv_BartlettV	Bartlett's V multivariate significance test
mv_Rao	Rao's' multivariate significance test
CorrelSet1	Pearson correlations for Set 1
CorrelSet2	Pearson correlations for Set 2
CorrelSet1n2	Pearson correlations between Set 1 & Set 2

**Author(s)**

Brian P. O'Connor

**References**

Manly, B. F. J., & Alberto, J. A. (2017). *Multivariate statistical methods: A primer (4th Edition)*. Chapman & Hall/CRC, Boca Raton, FL.

Sherry, A., & Henson, R. K. (2005). Conducting and interpreting canonical correlation analysis in personality research: A user-friendly primer. *Journal of Personality Assessment*, 84, 37-48.

Steiger, J. (2019). *Canonical correlation analysis*.  
[www.statpower.net/Content/312/Lecture%20Slides/CanonicalCorrelation.pdf](http://www.statpower.net/Content/312/Lecture%20Slides/CanonicalCorrelation.pdf)

Tabachnik, B. G., & Fidell, L. S. (2013). *Using multivariate statistics (6th. ed.)*. New York, NY: Pearson.

## Examples

```
# data that simulate those from De Leo & Wulfert (2013)
CANCOR(data = na.omit(data_CCA_De_Leo),
  set1 = c('Tobacco_Use', 'Alcohol_Use', 'Illicit_Drug_Use', 'Gambling_Behavior',
    'Unprotected_Sex', 'CIAS_Total'),
  set2 = c('Impulsivity', 'Social_Interaction_Anxiety', 'Depression',
    'Social_Support', 'Intolerance_of_Deviance', 'Family_Morals',
    'Family_Conflict', 'Grade_Point_Average'),
  plot = TRUE, plotCV = 1, plotcoefs='structure',
  verbose = TRUE)

# data from Tabachnik & Fidell (2013, p. 589)
CANCOR(data = data_CCA_Tabachnik,
  set1 = c('TS', 'TC'),
  set2 = c('BS', 'BC'),
  plot = TRUE, plotCV = 1, plotcoefs='structure',
  verbose = TRUE)

# UCLA dataset
UCLA_CCA_data <- read.csv("https://stats.idre.ucla.edu/stat/data/mmreg.csv")
colnames(UCLA_CCA_data) <- c("LocusControl", "SelfConcept", "Motivation",
  "read", "write", "math", "science", "female")
summary(UCLA_CCA_data)
CANCOR(data = UCLA_CCA_data,
  set1 = c("LocusControl", "SelfConcept", "Motivation"),
  set2 = c("read", "write", "math", "science", "female"),
  plot = TRUE, plotCV = 1, plotcoefs='standardized',
  verbose = TRUE)
```

---

data\_CCA\_De\_Leo

*data\_CCA\_De\_Leo*

---

## Description

A data frame with scores on 14 variables that have the same correlational structure, and which produce the same canonical correlation analysis results, as those reported in De Leo and Wulfert (2013).

## Usage

```
data(data_CCA_De_Leo)
```

## Source

De Leo, J. A., & Wulfert, E. (2013). Problematic internet use and other risky behaviors in college students: An application of problem-behavior theory. *Psychology of Addictive Behaviors*, 27(1), 133-141.

## Examples

```
head(data_CCA_De_Leo)

CANCOR(data = na.omit(data_CCA_De_Leo),
        set1 = c('Tobacco_Use', 'Alcohol_Use', 'Illicit_Drug_Use', 'Gambling_Behavior',
                 'Unprotected_Sex', 'CIAS_Total'),
        set2 = c('Impulsivity', 'Social_Interaction_Anxiety', 'Depression',
                 'Social_Support', 'Intolerance_of_Deviance', 'Family_Morals',
                 'Family_Conflict', 'Grade_Point_Average'),
        plot = 'yes', plotCV = 1,
        verbose=TRUE)
```

---

data_CCA_Tabachnik	<i>data_CCA_Tabachnik</i>
--------------------	---------------------------

---

## Description

A data frame with scores on 4 variables for 8 cases. Used by Tabachnik & Fidell (2013, p. 589) in their chapter on canonical correlation.

## Usage

```
data(data_CCA_Tabachnik)
```

## Source

Tabachnik, B. G., & Fidell, L. S. (2013). *Using multivariate statistics (6th ed.)*. New York, NY: Pearson.

## Examples

```
head(data_CCA_Tabachnik)

CANCOR(data = data_CCA_Tabachnik,
        set1 = c('TS', 'TC'),
        set2 = c('BS', 'BC'),
        plot = 'yes', plotCV = 1,
        verbose=TRUE)
```

---

data_DFA_Field	<i>data_DFA_Field</i>
----------------	-----------------------

---

**Description**

A data frame with scores on 2 variables for 10 cases in each of 3 groups. Used by Field et al. (2012) in their chapter on MANOVA and discriminant function analysis.

**Usage**

```
data(data_DFA_Field)
```

**Source**

Field, A., Miles, J., & Field, Z. (2012). *Discovering statistics using R*. Los Angeles, CA: Sage.

**Examples**

```
head(data_DFA_Field)

DFA(data = data_DFA_Field,
     groups = 'Group',
     variables = c('Actions', 'Thoughts'),
     predictive = TRUE, priorprob = 'SIZES',
     verbose = TRUE)
```

---

data_DFA_Sherry	<i>data_DFA_Sherry</i>
-----------------	------------------------

---

**Description**

A data frame with scores on 5 variables for 10 cases in each of 3 groups. Used by Sherry (2006) in her article on discriminant function analysis.

**Usage**

```
data(data_DFA_Sherry)
```

**Source**

Sherry, A. (2006). Discriminant analysis in counseling research. *Counseling Psychologist, 34*, 661-683.

## Examples

```
head(data_DFA_Sherry)

DFA(data = data_DFA_Sherry,
     groups = 'Group',
     variables = c('Neuroticism', 'Extroversion', 'Openness',
                  'Agreeableness', 'Conscientiousness'),
     predictive = TRUE, priorprob = 'SIZES',
     verbose=TRUE)
```

---

DFA

*Discriminant function analysis*


---

## Description

Produces SPSS- and SAS-like output for linear discriminant function analysis. It uses functions from the MASS package.

## Usage

```
DFA(data, groups, variables, plot, predictive, priorprob, verbose)
```

## Arguments

data	A dataframe where the rows are cases & the columns are the variables.
groups	The name of the groups variable in the dataframe, e.g., groups = 'Group'.
variables	The names of the continuous variables in the dataframe that will be used in the DFA, e.g., variables = c('varA', 'varB', 'varC').
plot	Should a plot of the mean standardized discriminant function scores for the groups be produced? The options are: TRUE (default) or FALSE.
predictive	Should a predictive DFA be conducted? The options are: TRUE (default) or FALSE.
priorprob	If predictive = TRUE, how should the prior probabilities of the group sizes be computed? The options are: 'EQUAL' for equal group sizes; or 'SIZES' (default) for the group sizes to be based on the sizes of the groups in the dataframe.
verbose	Should detailed results be displayed in console? The options are: TRUE (default) or FALSE.

**Value**

If `verbose = TRUE`, the displayed output includes descriptive statistics for the groups, tests of univariate and multivariate normality, the results of tests of the homogeneity of the group variance-covariance matrices, eigenvalues & canonical correlations, Wilks lambda & peel-down statistics, raw and standardized discriminant function coefficients, structure coefficients, functions at group centroids, one-way ANOVA tests of group differences in scores on each discriminant function, one-way ANOVA tests of group differences in scores on each original DV, significance tests for group differences on the original DVs according to Bird et al. (2014), a plot of the group means on the standardized discriminant functions, and extensive output from predictive discriminant function analyses (if requested).

The returned output is a list with elements

<code>rawCoef</code>	canonical discriminant function coefficients
<code>structCoef</code>	structure coefficients
<code>standCoef</code>	standardized coefficients
<code>standCoefSPSS</code>	standardized coefficients from SPSS
<code>centroids</code>	unstandardized canonical discriminant functions evaluated at the group means
<code>centroidSDs</code>	group standard deviations on the unstandardized functions
<code>centroidsZ</code>	standardized canonical discriminant functions evaluated at the group means
<code>centroidSDsZ</code>	group standard deviations on the standardized functions
<code>DFAcores</code>	scores on the discriminant functions
<code>anovaDFoutput</code>	One-way ANOVAs using the scores on a discriminant function as the DV
<code>anovaDVoutput</code>	One-way ANOVAs on the original DVs
<code>MFWER1.sigtest</code>	Significance tests when controlling the MFWER by (only) carrying out multiple t tests
<code>MFWER2.sigtest</code>	Significance tests for the two-stage approach to controlling the MFWER
<code>ldaoutputCV</code>	Classifications from leave-one-out cross-validations
<code>freqs_OR</code>	Cross-Tabulation of the Original and Predicted Group Memberships
<code>PropOrigCorrect</code>	Proportion of original grouped cases correctly classified
<code>chi_square_OR</code>	Chi-square test of independence
<code>PressQ_OR</code>	Press's Q significance test of classification accuracy for original vs. predicted group memberships
<code>rowfreqs_OR</code>	Row Frequencies
<code>colfreqs_OR</code>	Column Frequencies
<code>cellprops_OR</code>	Cell Proportions
<code>rowprops_OR</code>	Row-Based Proportions
<code>colprops_OR</code>	Column-Based Proportions
<code>kappas_cvo_OR</code>	Agreement (kappas) between the Predicted and Original Group Memberships
<code>freqs_CV</code>	Cross-Tabulation of the Cross-Validated and Predicted Group Memberships



PropCrossValCorrect	Proportion of cross-validated grouped cases correctly classified
chi_square_CV	Chi-square test of independence
PressQ_CV	Press's Q significance test of classification accuracy for cross-validated vs. predicted group memberships
rowfreqs_CV	Row Frequencies
colfreqs_CV	Column Frequencies
cellprops_CV	Cell Proportions
rowprops_CV	Row-Based Proportions
colprops_CV	Column-Based Proportions
kappas_cvoCV	Agreement (kappas) between the Cross-Validated and Original Group Membership
kappas_CVP	Agreement (kappas) between the Cross-Validated and Predicted Group Memberships

### Author(s)

Brian P. O'Connor

### References

- Bird, K. D., & Hadzi-Pavlovic, D. (2013). Controlling the maximum familywise Type I error rate in analyses of multivariate experiments. *Psychological Methods, 19*(2), p. 265-280.
- Manly, B. F. J., & Alberto, J. A. (2017). *Multivariate statistical methods: A primer (4th Edition)*. Chapman & Hall/CRC, Boca Raton, FL.
- Sherry, A. (2006). Discriminant analysis in counseling research. *Counseling Psychologist, 34*, 661-683.
- Tabachnik, B. G., & Fidell, L. S. (2013). *Using multivariate statistics (6th ed.)*. New York, NY: Pearson.
- Venables, W. N. & Ripley, B. D. (2002). *Modern Applied Statistics with S (4th ed.)*. Springer, New York.

### Examples

```
DFA(data = data_DFA_Field,
     groups = 'Group',
     variables = c('Actions', 'Thoughts'),
     predictive = TRUE, priorprob = 'SIZES',
     verbose = TRUE)
```

```
DFA(data = data_DFA_Sherry,
     groups = 'Group',
```

```
variables = c('Neuroticism','Extroversion','Openness',
              'Agreeableness','Conscientiousness'),
predictive = TRUE, priorprob = 'SIZES',
verbose = TRUE)
```

---

homogeneity

*Homogeneity of variances and covariances*


---

### Description

Produces tests of the homogeneity of variances and covariances.

### Usage

```
homogeneity(data, groups, variables, verbose)
```

### Arguments

data	A dataframe where the rows are cases & the columns are the variables.
groups	(optional) The name of the groups variable in the dataframe (if there is one) e.g., groups = 'Group'.
variables	(optional) The names of the continuous variables in the dataframe for the analyses, e.g., variables = c('varA', 'varB', 'varC').
verbose	Should detailed results be displayed in the console? The options are: TRUE (default) or FALSE.

### Value

If "variables" is specified, the analyses will be run on the "variables" in "data". If verbose = TRUE, the displayed output includes descriptive statistics and tests of univariate and multivariate homogeneity.

Bartlett's test compares the variances of k samples. The data must be normally distributed.

The non-parametric Fligner-Killeen test also compares the variances of k samples and it is robust when there are departures from normality.

Box's M test is a multivariate statistical test of the equality of multiple variance-covariance matrices. The test is prone to errors when the sample sizes are small or when the data do not meet model assumptions, especially the assumption of multivariate normality. For large samples, Box's M test may be too strict, indicating heterogeneity when the covariance matrices are not very different.

The returned output is a list with elements

covmatrix	The variance-covariance matrix for each group
Bartlett	Bartlett test of homogeneity of variances (parametric)
Fligner_Killeen	Fligner-Killeen test of homogeneity of variances (non parametric)

PooledWithinCovarSPSS	the pooled within groups covariance matrix from SPSS
PooledWithinCorrelSPSS	the pooled within groups correlation matrix from SPSS
sscpWithin	the within sums of squares and cross-products matrix
sscpBetween	the between sums of squares and cross-products matrix
BoxLogdets	the log determinants for Box's test
BoxMtest	Box's' test of the equality of covariance matrices

**Author(s)**

Brian P. O'Connor

**References**

- Box, G. E. P. (1949). A general distribution theory for a class of likelihood criteria. *Biometrika*, 36 (3-4), 317-346.
- Bartlett, M. S. (1937). Properties of sufficiency and statistical tests. *Proceedings of the Royal Society of London Series A* 160, 268-282.
- Conover, W. J., Johnson, M. E., & Johnson, M. M. (1981). A comparative study of tests for homogeneity of variances, with applications to the outer continental shelf bidding data. *Technometrics*, 23, 351-361.
- Warner, R. M. (2013). *Applied statistics: From bivariate through multivariate techniques*. Thousand Oaks, CA: SAGE.

**Examples**

```
# data from Field et al. (2012)
homogeneity(data = data_DFA_Field,
            groups = 'Group', variables = c('Actions', 'Thoughts'))

# data from Sherry (2006)
homogeneity(data = data_DFA_Sherry,
            groups = 'Group',
            variables = c('Neuroticism', 'Extroversion', 'Openness',
                          'Agreeableness', 'Conscientiousness'))
```

---

 linearity

*Linearity*


---

### Description

Provides tests of the possible linear and quadratic associations between two continuous variables.

### Usage

```
linearity(data, variables, groups, idvs, dv, verbose)
```

### Arguments

data	A dataframe where the rows are cases & the columns are the variables.
variables	(optional) The names of the continuous variables in the dataframe for the analyses, e.g., variables = c('varA', 'varB', 'varC').
groups	(optional) The name of the groups variable in the dataframe (if there is one), e.g., groups = 'Group'.
idvs	(optional) The names of the predictor variables, e.g., variables = c('varA', 'varB', 'varC').
dv	(optional) The name of the dependent variable, if output for just one dependent variable is desired.
verbose	(optional) Should detailed results be displayed in the console? The options are: TRUE (default) or FALSE.

### Value

If "variables" is specified, the analyses will be run on the "variables" in "data". If "groups" is specified, the analyses will be run for every value of "groups". If verbose = TRUE, the linear and quadratic regression coefficients and their statistical tests are displayed.

The returned output is a list with the regression coefficients and their statistical tests.

### Author(s)

Brian P. O'Connor

### References

Tabachnik, B. G., & Fidell, L. S. (2013). *Using multivariate statistics (6th. ed., pp. 83-84)*. New York, NY: Pearson.

**Examples**

```
# data from Sherry (2006), using all variables
linearity(data=data_DFA_Sherry, groups='Group',
          variables=c('Neuroticism','Extroversion','Openness',
                    'Agreeableness','Conscientiousness'))

# data from Sherry (2006), specifying independent variables and a dependent variable
linearity(data=data_DFA_Sherry, groups='Group',
          idvs=c('Neuroticism','Extroversion','Openness','Agreeableness'),
          dv=c('Conscientiousness'),
          verbose=TRUE )

# data that simulate those from De Leo & Wulfert (2013)
linearity(data=data_CCA_De_Leo,
          variables=c('Tobacco_Use','Alcohol_Use','Illicit_Drug_Use',
                    'Gambling_Behavior', 'Unprotected_Sex','CIAS_Total',
                    'Impulsivity','Social_Interaction_Anxiety','Depression',
                    'Social_Support','Intolerance_of_Deviance','Family_Morals',
                    'Family_Conflict','Grade_Point_Average'),
          verbose=TRUE )
```

---

normality

*Univariate and multivariate normality*


---

**Description**

Produces tests of univariate and multivariate normality using the MVN package.

**Usage**

```
normality(data, groups, variables, verbose)
```

**Arguments**

data	A dataframe where the rows are cases & the columns are the variables.
groups	(optional) The name of the groups variable in the dataframe, e.g., groups = 'Group'.
variables	(optional) The names of the continuous variables in the dataframe for the analyses, e.g., variables = c('varA', 'varB', 'varC').
verbose	Should detailed results be displayed in the console? The options are: TRUE (default) or FALSE.

**Value**

If "groups" is not specified, the analyses will be run on all of the variables in "data". If "groups" is specified, the analyses will be run for every value of "groups". If "variables" is specified, the analyses will be run on the "variables" in "data". If verbose = TRUE, the displayed output includes descriptive statistics and tests of univariate and multivariate normality.

The returned output is a list with elements

descriptives	descriptive statistics, including skewness and kurtosis
Shapiro_Wilk	the Shapiro_Wilk test of univariate normality
Mardia	the Mardia test of multivariate normality
Henze_Zirkler	the Henze-Zirkler test of multivariate normality
Royston	the Royston test of multivariate normality
Doornik_Hansen	the Doornik_Hansen test of multivariate normality

**Author(s)**

Brian P. O'Connor

**References**

- Korkmaz, S., Goksuluk, D., Zararsiz, G. (2014). MVN: An R Package for Assessing Multivariate Normality. *The R Journal*, 6(2), 151-162.
- Szekely, G. J., & Rizzo, M. L. (2017). The Energy of Data. *The Annual Review of Statistics and Its Application* 4, 447-79.
- Tabachnik, B. G., & Fidell, L. S. (2013). *Using multivariate statistics (6th. ed., pp. 79-83)*. New York, NY: Pearson.

**Examples**

```
# data that simulate those from De Leo & Wulfert (2013)
normality(data = na.omit(data_CCA_De_Leo[c(
  'Unprotected_Sex', 'Tobacco_Use', 'Alcohol_Use', 'Illicit_Drug_Use',
  'Gambling_Behavior', 'CIAS_Total', 'Impulsivity', 'Social_Interaction_Anxiety',
  'Depression', 'Social_Support', 'Intolerance_of_Deviance', 'Family_Morals',
  'Family_Conflict', 'Grade_Point_Average'])))

# data from Field et al. (2012)
normality(data = data_DFA_Field,
  groups = 'Group',
  variables = c('Actions', 'Thoughts'))

# data from Tabachnik & Fidell (2013, p. 589)
normality(data = na.omit(data_CCA_Tabachnik[c('TS', 'TC', 'BS', 'BC')]))

# UCLA dataset
UCLA_CCA_data <- read.csv("https://stats.idre.ucla.edu/stat/data/mmreg.csv")
colnames(UCLA_CCA_data) <- c("LocusControl", "SelfConcept", "Motivation",
```

```

                                "read", "write", "math", "science", "female")
summary(UCLA_CCA_data)
normality(data = na.omit(UCLA_CCA_data[c("LocusControl", "SelfConcept", "Motivation",
                                         "read", "write", "math", "science", "female"))])

```

---

plot_linearity	<i>Plot for linearity</i>
----------------	---------------------------

---

### Description

Plots the linear, quadratic, and loess regression lines for the association between two continuous variables.

### Usage

```

plot_linearity(data, idv, dv, groups=NULL, groupNAME=NULL, legposition=NULL,
               leginset=NULL, verbose=TRUE)

```

### Arguments

data	A dataframe where the rows are cases & the columns are the variables.
idv	The name of the predictor variable.
dv	The name of the dependent variable.
groups	(optional) The name of the groups variable in the dataframe, e.g., groups = 'Group'.
groupNAME	(optional) The value (level, name, or number) from the groups variable that identifies the subset group whose data will be used for the analyses, e.g., groupNAME = 1.
legposition	(optional) The position of the legend, as specified by one of the following possible keywords: "bottomright", "bottom", "bottomleft", "left", "topleft", "top", "topright", "right" or "center".
leginset	(optional) The inset distance(s) of the legend from the margins as a fraction of the plot region when legend is placed by keyword.
verbose	Should detailed results be displayed in the console? The options are: TRUE (default) or FALSE.

### Value

If verbose = TRUE, the linear and quadratic regression coefficients and their statistical tests are displayed.

The returned output is a list with the regression coefficients and the plot data.

**Author(s)**

Brian P. O'Connor

**References**

Tabachnik, B. G., & Fidell, L. S. (2013). *Using multivariate statistics (6th. ed., pp. 83-84)*. New York, NY: Pearson.

**Examples**

```
# data that simulate those from De Leo & Wulfert (2013)
plot_linearity(data=data_CCA_De_Leo, groups=NULL,
               idv='Family_Conflict', dv='Grade_Point_Average', verbose=TRUE)

# data from Sherry (2006), ignoring the groups
plot_linearity(data=data_DFA_Sherry, groups=NULL, groupNAME=NULL,
               idv='Neuroticism', dv='Conscientiousness', verbose=TRUE)

# data from Sherry (2006), group 2 only
plot_linearity(data=data_DFA_Sherry, groups='Group', groupNAME=2,
               idv='Neuroticism', dv='Conscientiousness', verbose=TRUE)
```



# Index

CANCOR, [2](#)

data\_CCA\_De\_Leo, [4](#)

data\_CCA\_Tabachnik, [5](#)

data\_DFA\_Field, [6](#)

data\_DFA\_Sherry, [6](#)

DFA, [7](#)

DFA.CANCOR-package, [2](#)

homogeneity, [10](#)

linearity, [12](#)

normality, [13](#)

plot\_linearity, [15](#)