

# Package ‘seeds’

July 14, 2020

**Type** Package

**Title** Estimate Hidden Inputs using the Dynamic Elastic Net

**Version** 0.9.1

**Description** Algorithms to calculate the hidden inputs of systems of differential equations.

These hidden inputs can be interpreted as a control that tries to minimize the discrepancies between a given model and taken measurements. The idea is also called the Dynamic Elastic Net, as proposed in the paper “Learning (from) the errors of a systems biology model”

(Engelhardt, Froelich, Kschischo 2016) <doi:10.1038/srep20772>.

To use the experimental SBML import function, the 'rsbml' package is required. For installation I refer to the official 'rsbml' page: <<https://bioconductor.org/packages/release/bioc/html/rsbml.html>>.

**Maintainer** Tobias Newmiwaka <tobias.newmiwaka@gmail.com>

**URL** <https://github.com/Newmi1988/seeds>

**BugReports** <https://github.com/Newmi1988/seeds/issues>

**Depends** R (>= 3.5.0)

**biocViews**

**Imports** deSolve (>= 1.20), pracma (>= 2.1.4), Deriv (>= 3.8.4), Ryacas, stats, graphics, methods, mvtnorm, matrixStats, statmod, coda, MASS, ggplot2, tidyr, dplyr, Hmisc, R.utils, callr

**Suggests** knitr, rmarkdown, rsbml

**RoxygenNote** 7.1.1

**VignetteBuilder** knitr

**License** MIT + file LICENSE

**Encoding** UTF-8

**LazyData** true

**NeedsCompilation** no

**Author** Tobias Newmiwaka [aut, cre],  
Benjamin Engelhardt [aut]

Repository CRAN

Date/Publication 2020-07-14 00:00:02 UTC

## R topics documented:

seeds-package . . . . .	3
BDEN . . . . .	4
confidenceBands . . . . .	6
createCompModel . . . . .	7
DEN . . . . .	7
estiStates . . . . .	10
GIBBS_update . . . . .	11
hiddenInputs . . . . .	12
importSBML . . . . .	12
LOGLIKELIHOOD_func . . . . .	13
MCMC_component . . . . .	14
Model . . . . .	16
nominalSol . . . . .	16
odeEquations-class . . . . .	17
odeModel-class . . . . .	18
optimal_control_gradient_descent . . . . .	19
outputEstimates . . . . .	20
plot,resultsSeeds,missing-method . . . . .	21
plotAnno . . . . .	22
print,resultsSeeds-method . . . . .	23
res . . . . .	23
resultsSeeds-class . . . . .	24
setInitState . . . . .	24
setInput . . . . .	25
setMeas . . . . .	26
setMeasFunc . . . . .	27
setModelEquation . . . . .	28
setParms . . . . .	29
setSd . . . . .	30
SETTINGS . . . . .	31
uvbData . . . . .	32
uvbModel . . . . .	33

Index

34

## Description

Algorithms to calculate the hidden inputs of systems of differential equations. These hidden inputs can be interpreted as a control that tries to minimize the discrepancies between a given model and taken measurements. The idea is also called the Dynamic Elastic Net, as proposed in the paper "Learning (from) the errors of a systems biology model" (Engelhardt, Froelich, Kschischo 2016) <doi:10.1038/srep20772>. To use the experimental SBML import function, the 'rsbml' package is required. For installation I refer to the official 'rsbml' page: <<https://bioconductor.org/packages/release/bioc/html/rsbml.html>>.

## Details

### Details

The first algorithm (DEN) calculates the needed equations using the `Deriv` function of the `Deriv` package. The process is implemented through the use of the S4 class `odeEquations-class`.

The conjugate gradient based algorithm uses a greedy algorithm to estimate a sparse control that tries to minimize the discrepancies between a given 'nominal model given the measurements (e.g from an experiment). The algorithm the `ode` uses `deSolve` to calculate the hidden inputs  $w$  based on the adjoint equations of the ODE-System.

The adjoint equations are calculated using the `ode` function of the `deSolve` package. For the usage of the algorithm please look into the examples and documentation given for the functions.

The second algorithm is called Bayesian Dynamic Elastic Net (BDEN). The BDEN as a new and fully probabilistic approach, supports the modeler in an algorithmic manner to identify possible sources of errors in ODE based models on the basis of experimental data. THE BDEN does not require pre-specified hyper-parameters. BDEN thus provides a systematic Bayesian computational method to identify target nodes and reconstruct the corresponding error signal including detection of missing and wrong molecular interactions within the assumed model. The method works for ODE based systems even with uncertain knowledge and noisy data.

`DEN` a greedy algorithm to calculate a sparse control

`BDEN` a basian mcmc approach

## Author(s)

**Maintainer:** Tobias Newmiwaka <[tobias.newmiwaka@gmail.com](mailto:tobias.newmiwaka@gmail.com)>

Authors:

- Benjamin Engelhardt <[engelhar@bit.uni-bonn.de](mailto:engelhar@bit.uni-bonn.de)>

## References

**Benjamin Engelhardt, Holger Froehlich, Maik Kschischo** Learning (from) the errors of a systems biology model, *Nature Scientific Reports*, 6, 20772, 2016 <https://www.nature.com/articles/srep20772>

**See Also**

Useful links:

- <https://github.com/Newmi1988/seeds>
- Report bugs at <https://github.com/Newmi1988/seeds/issues>

---

 BDEN

*Bayesian Dynamic Elastic Net*


---

**Description**

Full Bayesian algorithm to detect hidden inputs in ODE based models. The algorithm is an extension of the Dynamic Elastic Net algorithm (Engelhardt et al. 2016) inspired by the Elastic-Net Regression.

**Usage**

```
BDEN(
  odeModel,
  settings,
  mcmc_component,
  loglikelihood_func,
  gibbs_update,
  ode_sol,
  NegativeStates = FALSE,
  numbertrialsstep = 15,
  numbertrialsstep = NA,
  numbertrialinner = 25,
  lambda = 0.001,
  Grad_correct = 0,
  alpha = c(1, 1, 1, 1),
  beta_init = c(1, 1, 1, 1),
  printstatesignore = FALSE
)
```

**Arguments**

odeModel	a object of class odeModel from the package seeds. The class saves the details of an experiment for easier manipulation and analysis.
settings	initial model specific settings (automatically calculated based on the nominal model and data)
mcmc_component	sampling algorithm
loglikelihood_func	likelihood function
gibbs_update	gibbs algorithm

<code>ode_sol</code>	ode solver
<code>NegativeStates</code>	Negative states are allowed
<code>numbertrialsstep</code>	number of gibbs updates per timepoint. This should be at least 10. Values have direct influence on the runtime.
<code>numbertrialsseps</code>	number of samples per mcmc step. This should be greater than <code>numberStates*500</code> . Values have direct influence on the runtime.
<code>numbertrialinner</code>	number of inner samples. This should be greater 15 to guarantee a reasonable exploration of the sample space. Values have direct influence on the runtime.
<code>lambda</code>	initial shrinkage parameter.
<code>Grad_correct</code>	correction factor for initial sigma estimate
<code>alpha</code>	mcmc tuning parameter (weighting of observed states)
<code>beta_init</code>	mcmc tuning parameter (weighting of observed states)
<code>printstatesignore</code>	states ignored in final output (default = FALSE)

## Details

Ordinary differential equations (ODEs) are a popular approach to quantitatively model molecular networks based on biological knowledge. However, such knowledge is typically restricted. Wrongly modeled biological mechanisms as well as relevant external influence factors that are not included into the model likely manifest in major discrepancies between model predictions and experimental data. Finding the exact reasons for such observed discrepancies can be quite challenging in practice. In order to address this issue we suggest a Bayesian approach to estimate hidden influences in ODE based models. The method can distinguish between exogenous and endogenous hidden influences. Thus, we can detect wrongly specified as well as missed molecular interactions in the model. The BDEN as a new and fully probabilistic approach, supports the modeler in an algorithmic manner to identify possible sources of errors in ODE based models on the basis of experimental data. THE BDEN does not require pre-specified hyper-parameters. BDEN thus provides a systematic Bayesian computational method to identify target nodes and reconstruct the corresponding error signal including detection of missing and wrong molecular interactions within the assumed model. The method works for ODE based systems even with uncertain knowledge and noisy data. In contrast to approaches based on point estimates the Bayesian framework incorporates the given uncertainty and circumvents numerical pitfalls which frequently arise from optimization methods (Engelhardt et al. 2017).

For a complete example of the usage take a look into the vignette of the package.

## Value

returns a results-object with default plot function

## Examples

```
data(bden_uvb)
```

```

results <- BDEN(odeModel      = Model,
               lambda        = .001,
               beta_init     = c(1,1,1,1,1),
               numbertrialstep = 15,
               numbertrialeps = 2000,
               numbertrialinner = 10)

```

---

confidenceBands      *Get the estimated confidence bands for the bayesian method*

---

### Description

Get the estimated confidence bands for the bayesian method

### Usage

```

confidenceBands(resultsSeeds, slot, ind)

## S4 method for signature 'list,character,numeric'
confidenceBands(resultsSeeds, slot, ind)

## S4 method for signature 'list,character,missing'
confidenceBands(resultsSeeds, slot, ind)

## S4 method for signature 'resultsSeeds,character,missing'
confidenceBands(resultsSeeds, slot, ind)

```

### Arguments

resultsSeeds	A object of the class resultsSeeds, which is returned from the algorithms.
slot	Specifies the slot. Options are "states", "hiddenInputs", "outputs"
ind	A numeric indicating the index of a resultsSeeds-Object in a list. If not set the last listed object will be used.

### Value

A dataframe containing the confidence bands of the estiamted states, hidden inputs and outputs

### Examples

```

data(uvb_res)

confidenceBands(res, slot = "states", ind = 2)

```

---

createCompModel	<i>Create compilable c-code of a model</i>
-----------------	--

---

### Description

Writes a c file that can be compiled for faster solution with the [ode](#) solver. The file created is formatted to be used with the dynamic elastic net. A hidden input is added to every component of the state vector.

### Usage

```
createCompModel(modelFunc, parameters, bden, nnStates)
```

### Arguments

modelFunc	a R-function that can be solved with deSolve. External input of the system should be declared with 'u'. To ensure that the function is working use the most general state-space representation.
parameters	a vector describing the parameters of the system. If names are missing the function tries to extract the declared parameters from the model function.
bden	a boolean that indicates if the c-file is used for the mcmc algorithm, default value is 'FALSE'
nnStates	a bit vector indicating the states that should be non negative

### Value

None

### Note

On the usage of compiled code in conjunction with **deSolve** take a look into the vignette 'R Package deSolve, Writing Code in Compiled Languages' of the package.

---

DEN	<i>Greedy method for estimating a sparse solution</i>
-----	---

---

### Description

The sparse gradient dynamic elastic net calculates controls based on a first optimization with gradient descent. IT should result in a sparse vector of hidden inputs. These hidden inputs try to minimize the discrepancy between a given model and the taken measurements.

**Usage**

```

DEN(
  odeModel,
  alphaStep,
  Beta,
  alpha1,
  alpha2,
  x0,
  optW,
  measFunc,
  measData,
  sd,
  epsilon,
  parameters,
  systemInput,
  modelFunc,
  greedyLogical,
  plotEstimates,
  conjGrad,
  cString,
  nnStates,
  verbose
)

```

**Arguments**

odeModel	a object of class <code>odeModel</code> from the package <code>seeds</code> . The class saves the details of an experiment for easier manipulation and analysis.
alphaStep	the starting stepsize for the gradient descent a fitting stepsize will be calculated based on a backtracking line search if the algorithm converges to slow use a bigger stepsize
Beta	scaling parameter for the backtracking to approximate the stepsize of the gradient descent. Is set to 0.8 if no value is given to the function
alpha1	L1-norm parameter of the dynamic elastic net approach, is set to zero for this algorithm
alpha2	L2-norm parameter of the dynamic elastic net approach used for regulation purposes
x0	initial state of the ODE system. Can be supplied with the <code>odeModel</code> class.
optW	a vector that indicates for which knots of the network a input should be calculated. The default is all nodes.
measFunc	a R-Function that is used for measurement of the states if the system is not completely measurable; an empty argument will result in the assumption that all states of the system are measurable. Can be supplied by the <code>odeModel</code> parameter.
measData	a table that contains the measurements of the experiment. Used to calculate the needed inputs. Can be supplied with the <code>odeModel</code> class.



<code>sd</code>	Standard deviation of the measurement. Is used to weight the errors of the estimates in the cost function. Optional parameter. Can be supplied with the <code>odeModel</code> class. Should contain the time in the first column
<code>epsilon</code>	parameter that defines the stopping criteria for the algorithm, in this case percent change in cost function $J[w]$
<code>parameters</code>	vector or named vector that contains the parameters of the ODE equation. Can be supplied with the <code>odeModel</code> class.
<code>systemInput</code>	A dataset that describes the external input of the system. The time steps should be given in the first column for the interpolation.
<code>modelFunc</code>	a R-Function that states the ODE system for which the hidden inputs should be calculated. Can be supplied with the <code>odeModel</code> class.
<code>greedyLogical</code>	a boolean that states if the greedy approach should be used;if set to <code>FALSE</code> the algorithm will only use perform a calculation of the inputs for all knots without a sparse solution
<code>plotEstimates</code>	boolean that indicated if the current estimate should be plotted.
<code>conjGrad</code>	Boolean that indicates the usage of conjugate gradient method over the normal steepest descent. Defaults to true if not specified.
<code>cString</code>	Optional parameter: A string that represents constants, can be used to calculate a hidden input for a component that gradient is zero.
<code>nnStates</code>	A bit vector indicating the states that should be non negative. Default behaviour will calculate positive and negative states. Can be supplied with the <code>odeModel</code> class.
<code>verbose</code>	Boolean indicating if an output in the console should be created to display the gradient descent steps

### Details

This algorithm uses a greedy approach to calculate the hidden inputs. Starting with a first estimation of the hidden inputs the algorithm tries to optimize set of hidden inputs based on the area under the curve from the first run. The algorithm stops if a set of hidden gives a lower cost than a set with additional hidden inputs.

For a complete example of the usage take a look into the vignette of the package.

### Value

returns a list of results objects. The default plot function can be used to plot the results.

### Examples

```
data(uvbModel)
```

```
results <- DEN(odeModel = uvbModel, alphaStep = 500, alpha2 = 0.0001,
              epsilon = 0.2, plotEstimates = TRUE)
```

---

estiStates	<i>Get the estimated states</i>
------------	---------------------------------

---

### Description

Get the estimated states

### Usage

```
estiStates(resultsSeeds, ind)

## S4 method for signature 'list,numeric'
estiStates(resultsSeeds, ind)

## S4 method for signature 'list,missing'
estiStates(resultsSeeds, ind)

## S4 method for signature 'resultsSeeds,missing'
estiStates(resultsSeeds, ind)
```

### Arguments

**resultsSeeds** A object of the class resultsSeeds, which is returned from the algorithms.

**ind** A numeric indicating the index of a resultsSeeds-Object in a list. If not set the last listed object will be used.

### Value

Dataframe containing the estimated states

### Examples

```
data(uvb_res)

estiStates(res)
```

GIBBS\_update

*Gibbs Update***Description**

Algorithm implemented according to Engelhardt et al. 2017. The BDEN defines a conditional Gaussian prior over each hidden input. The scale of the variance of the Gaussian prior is a strongly decaying and smooth distribution peaking at zero, which depends on parameters Lambda2, Tau and Sigma. The parameter Tau is itself given by an exponential distribution (one for each component of the hidden influence vector) with parameters Lambda1. In consequence, sparsity is dependent on the parameter vector Lambda1, whereas smoothness is mainly controlled by Lambda2. These parameters are drawn from hyper-priors, which can be set in a non-informative manner or with respect to prior knowledge about the degree of shrinkage and smoothness of the hidden influences (Engelhardt et al. 2017).

**Usage**

```
GIBBS_update(D, EPS_inner, R, ROH, SIGMA_0, n, SIGMA, LAMBDA2, LAMBDA1, TAU)
```

**Arguments**

D	diagonal weight matrix of the current Gibbs step
EPS_inner	row-wise vector of current hidden influences [tn,tn+1]
R	parameter for needed for the Gibbs update (for details see Engelhardt et al. 2017)
ROH	parameter for needed for the Gibbs update (for details see Engelhardt et al. 2017)
SIGMA_0	prior variance of the prior for the hidden influences
n	number of system states
SIGMA	current variance of the prior for the hidden influences (calculated during the Gibbs update)
LAMBDA2	current parameter (smoothness) needed for the Gibbs update (for details see Engelhardt et al. 2017)
LAMBDA1	current parameter (sparsity) needed for the Gibbs update (for details see Engelhardt et al. 2017)
TAU	current parameter (smoothness) needed for the Gibbs update (for details see Engelhardt et al. 2017)

**Details**

The function can be replaced by an user defined version if necessary

**Value**

A list of updated Gibbs parameters; i.e. Sigma, Lambda1, Lambda2, Tau

---

hiddenInputs	<i>Get the estimated hidden inputs</i>
--------------	--

---

**Description**

Get the estimated hidden inputs

**Usage**

```
hiddenInputs(resultsSeeds, ind)

## S4 method for signature 'list,numeric'
hiddenInputs(resultsSeeds, ind)

## S4 method for signature 'list,missing'
hiddenInputs(resultsSeeds, ind)

## S4 method for signature 'resultsSeeds,missing'
hiddenInputs(resultsSeeds, ind)
```

**Arguments**

resultsSeeds	A object of the class 'resultsSeeds', which is returned from the algorithms.
ind	A numeric indicating the index of a 'resultsSeeds'-Object in a list. If not set the last listed object will be used.

**Value**

Dataframe containing the estimated hidden inputs

**Examples**

```
data(uvb_res)

hiddenInputs(res[[2]])
```

---

importSBML	<i>Import SBML Models using the Bioconductor package 'rsbml'</i>
------------	--

---

**Description**

A simple function for importing sbml models from a extensive markup language file.

**Usage**

```
importSBML(filename, times, meas_input)
```

**Arguments**

```
filename      name of the import file. Should be located in the working directory.
times        timestep at which the function should be evaluated
meas_input    measurements have to be given in order to analyze the data
```

**Value**

returns a odeModel object

**Examples**

```
## Not run:

t <- uvbData[,1]
y <- uvbData[,1:3]
modelFile <- system.file("extdata","BIOMD0000000545_url.xml", package = "seeds")

# generate an odeModel object
uvb <- importSBML(modelFile, times = t, meas = y)

## End(Not run)
```

---

LOGLIKELIHOOD_func	<i>Calculates the Log Likelihood for a new sample given the current state (i.e. <math>\log[L(G x)P(G)]</math>)</i>
--------------------	--

---

**Description**

Algorithm implemented according to Engelhardt et al. 2017. The function can be replaced by a user defined version if necessary.

**Usage**

```
LOGLIKELIHOOD_func(
  pars,
  Step,
  OBSERVATIONS,
  x_0,
  parameters,
  EPS_inner,
```

```

INPUT,
D,
GIBBS_PAR,
k,
MU_JUMP,
SIGMA_JUMP,
eps_new,
objectivfunc
)

```

### Arguments

pars	sampled hidden influence for state k ( $w_{new}$ ) at time $tn+1$
Step	time step of the sample algorithm corresponding to the given vector of time points
OBSERVATIONS	observed values at the given time step/point
$x_0$	initial values at the given time step/point
parameters	model parameters estimates
EPS_inner	current hidden inputs at time $tn$
INPUT	discrete input function e.g. stimuli
D	diagonal weight matrix of the current Gibbs step
GIBBS_PAR	GIBBS_PAR[["BETA"]] and GIBBS_PAR[["ALPHA"]]; prespecified or calculated vector of state weights
k	number state corresponding to the given hidden influence ( $w_{new}$ )
MU_JUMP	mean of the normal distributed proposal distribution
SIGMA_JUMP	variance of the normal distributed proposal distribution
eps_new	current sample vector of the hidden influences (including all states)
objectivfunc,	link function to match observations with modeled states

### Value

returns the log-likelihood for two given hidden inputs

---

MCMC\_component

*Componentwise Adapted Metropolis Hastings Sampler*


---

### Description

Algorithm implemented according to Engelhardt et al. 2017.

**Usage**

```

MCMC_component(
  LOGLIKELIHOOD_func,
  STEP_SIZE,
  STEP_SIZE_INNER,
  EPSILON,
  JUMP_SCALE,
  STEP,
  OBSERVATIONS,
  Y0,
  INPUTDATA,
  PARAMETER,
  EPSILON_ACT,
  SIGMA,
  DIAG,
  GIBBS_par,
  N,
  BURNIN,
  objective
)

```

**Arguments**

LOGLIKELIHOOD_func	likelihood function
STEP_SIZE	number of samples per mcmc step. This should be greater than numberStates*500. Values have direct influence on the runtime.
STEP_SIZE_INNER	number of inner samples. This should be greater 15 to guarantee a reasonable exploration of the sample space. Values have direct influence on the runtime.
EPSILON	vector of hidden influences (placeholder for customized version)
JUMP_SCALE	ODE system
STEP	time step of the sample algorithm corresponding to the given vector of time points
OBSERVATIONS	observed state dynamics e.g. protein concentrations
Y0	initial values of the system
INPUTDATA	discrete input function e.g. stimuli
PARAMETER	model parameters estimates
EPSILON_ACT	vector of current hidden influences
SIGMA	current variance of the prior for the hidden influences (calculated during the Gibbs update)
DIAG	diagonal weight matrix of the current Gibbs step
GIBBS_par	GIBBS_PAR[["BETA"]] and GIBBS_PAR[["ALPHA"]]; prespecified or calculated vector of state weights

N	number of system states
BURNIN	number of dismissed samples during burn-in
objective	objective function

**Details**

The function can be replaced by an user defined version if necessary

**Value**

A matrix with the sampled hidden inputs (row-wise)

---

Model	<i>Test dataset for demonstrating the bden algorithm.</i>
-------	---

---

**Description**

Dataset is identical with the example for the bden algorithm from the vignette. It contains an object of odeModel that describes the uvb network.

**Usage**

```
data(bden_uvb)
```

**Format**

An object of class odeModel of length 1.

---

nominalSol	<i>Calculate the nominal solution of the model</i>
------------	--

---

**Description**

After an model is defined it can be evaluated. This returns the numerical solution for the state equation before hidden inputs are calculated.

**Usage**

```
nominalSol(odeModel)

## S4 method for signature 'odeModel'
nominalSol(odeModel)
```

**Arguments**

odeModel      a object of the class ode model describing the experiment



**Value**

a matrix with the numeric solution to the nominal ode equation

**Examples**

```
lotka_voltera <- function (t, x, parameters) {
  with(as.list(c(x,parameters)), {
    dx1 = x[1]*(alpha - beta*x[2])
    dx2 = -x[2]*(gamma - delta*x[1])
    return(list(c(dx1, dx2)))
  })
}

pars <- c(alpha = 2, beta = .5, gamma = .2, delta = .6)
init_state <- c(x1 = 10, x2 = 10)
time <- seq(0, 100, by = 1)
lotVolModel = odeModel(func = lotka_voltera, parms = pars, times = time, y = init_state)
nominalSol(lotVolModel)
```

---

odeEquations-class	<i>A S4 class used to handle formatting ODE-Equation and calculate the needed functions for the seeds-algorithm</i>
--------------------	---

---

**Description**

A S4 class used to handle formatting ODE-Equation and calculate the needed functions for the seeds-algorithm

**Value**

Returns a s4 class object containing the needed equations for the costate equation

**Slots**

modelStr a vector of strings describing the ODE  
 measureStr a vector of strings representing the equation of the measurement function  
 origEq a vector of strings containing the original model function  
 measureFunction a vector of strings containing the original measurement function  
 costateEq a vector of strings describing the costate equation  
 JhT a matrix of strings describing the jacobian matrix of the measurement function  
 jacobian a matrix of strings representing the jacobian matrix model equations  
 costFunction a string containing the cost function  
 hamiltonian a string representing the Hamilton function of the model

dynamicElasticNet boolean that indicates if the system equation should be calculated for the dynamic elastic net

parameters parameters of the model

cond a slot to save conditionals in equations, which are used for formatting the c files

nnStates vector indicating which states should have a non negative solution

---

odeModel-class

*A class to store the important information of an model.*

---

### Description

The slots are used to store the important information of an model. The class is used to create object for the two algorithms implemented in seeds. Methods are implemented to easily calculate the nominal solution of the model and change the details of the saved model. The numerical solutions are calculated using the **deSolve** - package.

### Value

an object of class odeModel which defines the model

### Slots

func A funtion containing the ode-equations of the model. For syntax look at the given examples of the **deSolve** package.

times timesteps at which the model should be evaluated

parms the parameters of the model

input matrix containing the inputs with the time points

measFunc function that converts the output of the ode solution

y initial (state) values of the ODE system, has to be a vector

meas matrix with the (experimental) measurements of the system

sd optional standard deviations of the measurements, is used by the algorithms as weights in the costfunction

custom customized link function

nnStates bit vector that indicates if states should be observed by the root function

nnTolerance tolerance at which a function is seen as zero

resetValue value a state should be set to by an event

---

`optimal_control_gradient_descent`*estimating the optimal control using the dynamic elastic net*

---

**Description**

estimating the optimal control using the dynamic elastic net

**Usage**

```
optimal_control_gradient_descent(  
    alphaStep,  
    armijoBeta,  
    x0,  
    parameters,  
    alpha1,  
    alpha2,  
    measData,  
    constStr,  
    SD,  
    modelFunc,  
    measFunc,  
    modelInput,  
    optW,  
    origAUC,  
    maxIteration,  
    plotEsti,  
    conjGrad,  
    eps,  
    nnStates,  
    verbose  
)
```

**Arguments**

<code>alphaStep</code>	starting value of the stepsize for the gradient descent, will be calculate to minimize the cost function by backtracking algorithm
<code>armijoBeta</code>	scaling of the <code>alphaStep</code> to find a approximately optimal value for the stepsize
<code>x0</code>	initial state of the ode system
<code>parameters</code>	parameters of the ODE-system
<code>alpha1</code>	L1 cost term scalar
<code>alpha2</code>	L2 cost term scalar
<code>measData</code>	measured values of the experiment
<code>constStr</code>	a string that represents constrains, can be used to calculate a hidden input for a component that gradient is zero

SD	standard deviation of the experiment; leave empty if unknown; matrix should contain the timesteps in the first column
modelFunc	function that describes the ODE-system of the model
measFunc	function that maps the states to the outputs
modelInput	an dataset that describes the external input of the system
optW	vector that indicated at which knots of the network the algorithm should estimate the hidden inputs
origAUC	AUCs of the first optimization; only used by the algorithm
maxIteration	a upper bound for the maximal number of iterations
plotEsti	boolean that controls of the current estimates should be plotted
conjGrad	boolean that indicates the usage of conjugate gradient method over the normal steepest descent
eps	criteria for stopping the algorithm
nnStates	a bit vector indicating the states that should be non negative
verbose	Boolean indicating if an output in the console should be created to display the gradient descent steps

**Value**

A list containing the estimated hidden inputs, the AUCs, the estimated states and resulting measurements and the cost function

---

outputEstimates	<i>Get the estimated outputs</i>
-----------------	----------------------------------

---

**Description**

Get the estimated outputs

**Usage**

```
outputEstimates(resultsSeeds, ind)

## S4 method for signature 'list,numeric'
outputEstimates(resultsSeeds, ind)

## S4 method for signature 'list,missing'
outputEstimates(resultsSeeds, ind)

## S4 method for signature 'resultsSeeds,missing'
outputEstimates(resultsSeeds, ind)
```

**Arguments**

resultsSeeds    A object of the class 'resultsSeeds', which is returned from the algorithms.  
ind             A numeric indicating the index of a 'resultsSeeds'-Object in a list. If not set the last listed object will be used.

**Value**

Dafaframe with estimated measurements.

**Examples**

```
data(uvb_res)
outputEstimates(res[[2]])
```

---

plot,resultsSeeds,missing-method

*Plot method for the S4 class resultsSeeds*

---

**Description**

A standardized plot function to display the results of the algorithms. Both algorithms should result in objects of the class resultsSeeds. The results can be plotted using the [plot](#)-function.

**Usage**

```
## S4 method for signature 'resultsSeeds,missing'
plot(x, y)
```

**Arguments**

x             an object of type resultsSeeds or a list of these objects. If a list is given the last entry will be plotted.  
y             ...

**Value**

A list of plots showing the results of the algorithm

**Examples**

```
data(uvb_res)
plot(res[[2]])
```

---

plotAnno	<i>Create annotated plot</i>
----------	------------------------------

---

### Description

Create a annotated plot with given state and measurement names. The plots are equal to the output of the normal plot function.

### Usage

```
plotAnno(x, stateAnno, measAnno)

## S4 method for signature 'resultsSeeds'
plotAnno(x, stateAnno, measAnno)

## S4 method for signature 'list'
plotAnno(x, stateAnno, measAnno)
```

### Arguments

x	an object of type resultsSeeds which contains the results of the algorithms
stateAnno	a character vector describing the names of the states
measAnno	a character vector describing the names of the measurements

### Value

Plots of the results with the provided annotation

### Examples

```
data(uvb_res)

statesAnno <- c("x1", "x2", "x3", "x4", "x5", "x6", "x7", "x8", "x9", "x10", "x11", "x12", "x13")
measurAnno <- c("y1", "y2", "y3", "y4", "y5")

plotAnno(res[[2]], stateAnno = statesAnno, measAnno = measurAnno)
```

---

print,resultsSeeds-method

*A default printing function for the resultsSeeds class*

---

### Description

This function overwrites the default print function and is used for objects of the class resultsSeeds. The print function gives the basic information about the results seeds object. The default printout is the estimated states and the calculated hidden inputs

### Usage

```
## S4 method for signature 'resultsSeeds'  
print(x)
```

### Arguments

x                    an object of the class resultsSeeds

### Value

Returns a short summary of the important results

### Examples

```
data(ubv_res)  
plot(res[[2]])
```

---

res

*Results from the uvb dataset for examples*

---

### Description

Data from running the estimation of hidden inputs from the UVB-G Protein demo. This data is used for demonstration the different functions of the package

### Usage

```
data(uvb_res)
```

### Format

An object of class list of length 2.

---

resultsSeeds-class      *Results Class for the Algorithms*

---

### Description

A S4 class that collects the results of the two algorithms. The class also is equipped with functions for easily plotting and extracting the different results.

### Value

A object of class resultsSeeds collecting all the results of the algorithm

### Slots

stateNominal data.frame containing the states of the nominal model  
stateEstimates data.frame containing the state estimates  
stateUncertainLower lower bound of the estimated states as calculated by the bayesian method  
stateUncertainUpper upper bound of the estimated states as calculated by the bayesian method  
hiddenInputEstimates estimated hidden input  
hiddenInputUncertainLower lower bounds of the estimated hidden inputs  
hiddenInputUncertainUpper upper bounds of the estimated hidden inputs  
outputEstimates estimated measurements resulting from the control of the hidden inputs  
outputEstimatesUnclLower lower bound of the confidence bands of the estimated output  
outputEstimatesUnclUpper upper bound of the confidence bands of the estimated output  
Data the given measurements  
DataError standard deviation of the given measurements

---

setInitState      *Set the vector with the initial (state) values*

---

### Description

Set the vector with the initial (state) values

### Usage

```
setInitState(odeModel, y)

## S4 method for signature 'odeModel'
setInitState(odeModel, y)
```



**Arguments**

odeModel      an object of the class odeModel  
 y              vector with the initial values

**Value**

an object of odeModel

**Examples**

```
data("uvbModel")
x0 = c(0.2, 10, 2, 0, 0, 20, 0, 0, 0, 4.2, 0.25, 20, 0)
newModel <- setInitState(uvbModel, y = x0)
```

---

setInput	<i>Set the inputs of the model.</i>
----------	-------------------------------------

---

**Description**

If the model has an input it can be set with this function. The inputs should be a dataframe, where the first column is the timesteps of the inputs in the second column.

**Usage**

```
setInput(odeModel, input)

## S4 method for signature 'odeModel'
setInput(odeModel, input)
```

**Arguments**

odeModel      an object of the class modelClass  
 input          function describing the ode equation of the model

**Value**

an object of odeModel

**Examples**

```

data("uvbModel")

model_times <- uvbModel@times
input <- rep(0,length(model_times))

input_Dataframe <- data.frame(t = model_times, u = input)

newModel <- setInput(odeModel = uvbModel,input = input_Dataframe)

```

---

setMeas	<i>set measurements of the model</i>
---------	--------------------------------------

---

**Description**

The odeModel object stores all important information. Measurements of the objects can be set directly by addressing the slot, or with this function.

**Usage**

```

setMeas(odeModel, meas)

## S4 method for signature 'odeModel'
setMeas(odeModel, meas)

```

**Arguments**

odeModel	an object of the class odeModel
meas	measurements of the model, a matrix with measurements of the model and the corresponding time values

**Value**

an object of odeModel

**Examples**

```

data(uvbData)
data(uvbModel)

measurements <- uvbData[,1:6]

newModel <- setMeas(odeModel = uvbModel, meas = measurements)

```

---

setMeasFunc	<i>Set the measurement equation for the model</i>
-------------	---

---

### Description

For a given model a measurement equation can be set. If no measurement function is set the states become the output of the system. The function should be defined as in the example below.

### Usage

```
setMeasFunc(odeModel, measFunc, custom)

## S4 method for signature 'odeModel`,`function`,`missing'
setMeasFunc(odeModel, measFunc, custom)

## S4 method for signature 'odeModel`,`function`,`logical'
setMeasFunc(odeModel, measFunc, custom)
```

### Arguments

odeModel	an object of the class odeModel
measFunc	measurement function of the model. Has to be a R functions.
custom	custom indexing for the measurement function (used by the baysian method)

### Value

an object of odeModel

### Examples

```
data("uvbModel")

uvbMeasure <- function(x) {

  y1 = 2*x[,5] + x[,4] + x[,8]
  y2 = 2*x[,5] + 2* x[,3] + x[,1]
  y3 = x[,6]
  y4 = x[,11]
  y5 = x[,4]

  return(cbind(y1,y2,y3,y4,y5))
}

newModel <- setMeasFunc(odeModel = uvbModel, measFunc = uvbMeasure)
```

---

```
setModelEquation      Set the model equation
```

---

### Description

Set the model equation of the system in an odeModel object. Has to be a function that can be used with the deSolve package.

### Usage

```
setModelEquation(odeModel, func)

## S4 method for signature 'odeModel'
setModelEquation(odeModel, func)
```

### Arguments

```
odeModel      an object of the class odeModel
func          function describing the ode equation of the model
```

### Value

an object of odeModel

### Examples

```
data("uvbModel")

uvbModelEq <- function(t,x,parameters) {
  with(as.list(parameters),{

    dx1 = ((-2) * ((ka1 * (x[1]^2) * (x[4]^2)) - (kd1 * x[5])) +
            (-2) * ((ka2 * (x[1]^2) * x[2]) - (kd2 * x[3])) +
            ((ks1 * ((1) + (uv * n3 * (x[11] + fhy3_s)))) -
            (kdr1 * ((1) + (n1 * uv)) * x[1])))
    dx2 = ((-1) * ((ka2*(x[1]^2) * x[2]) - (kd2 * x[3])) +
            (-1) * ((ka4 * x[2] * x[12]) - (kd4 * x[13])))
    dx3 = (((ka2 * (x[1]^2) * x[2]) - (kd2* x[3])))
    dx4 = ((-2) * (k1*(x[4]^2)) + (2) * (k2 * x[6]) +
            (-2) * ((ka1 * (x[1]^2)* (x[4]^2)) - (kd1 * x[5])) +
            (-1)* (ka3 * x[4] *x[7]))
    dx5 = (((ka1 * (x[1]^2) * (x[4]^2)) - (kd1 * x[5])))
    dx6 = ((-1) * (k2 * x[6]) + (k1 * (x[4]^2)) + (kd3 * (x[8]^2)))
    dx7 = ((-1) * (ka3 * x[4] * x[7]) + ((ks2 * ((1) + (uv * x[5]))) -
            (kdr2 * x[7])) + (2) * (kd3 * (x[8]^2)))
    dx8 = ((-2) * (kd3 * x[8]^2) + (ka3 * x[4] * x[7]))
    dx9 = 0
    dx10 = 0
    dx11 = (((ks3 * ((1) + (n2 * uv))) - (kdr3 * (((x[3] / (kdr3a + x[3])) +
```

```

      (x[13] / (kdr3b + x[13]))) -(x[5] / (ksr + x[5])) * x[11]))
dx12 = ((-1) * (ka4 * x[2] * x[12]) + (kd4 * x[13]))
dx13 = ((ka4 * x[2] * x[12]) - (kd4 * x[13]))

list(c(dx1, dx2, dx3, dx4, dx5, dx6, dx7, dx8, dx9, dx10, dx11, dx12, dx13))
})
}

setModelEquation(uvbModel, uvbModelEq)

```

---

setParms

*Set the model parameters*


---

### Description

A method to set the model parameters of an odeModel object.

### Usage

```
setParms(odeModel, parms)
```

```
## S4 method for signature 'odeModel,numeric'
setParms(odeModel, parms)
```

### Arguments

odeModel	an object of the class odeModel
parms	a vector containing the parameters of the model

### Value

an object of odeModel

### Examples

```

data("uvbModel")

newParas <- c( ks1=0.23,
ks2=4.0526,
kdr1=0.1,
kdr2=0.2118,
k1=0.0043,
k2=161.62,
ka1=0.0372,
ka2=0.0611,
ka3=4.7207,
kd1=94.3524,
kd2=50.6973,

```

```

kd3=0.5508,
ks3=0.4397,
kdr3=1.246,
uv=1,
ka4=10.1285,
kd4=1.1999,
n1=3,
n2=2,
n3=3.5,
kdr3a=0.9735,
kdr3b=0.406,
ksr=0.7537,
fhy3_s=5)

newModel <- setParams(odeModel = uvbModel, parms = newParas)

```

---

setSd

*Set the standard deviation of the measurements*


---

### Description

With multiple measurements a standard deviation can be calculated for every point of measurement. The standard deviation is used to weigh the estimated data points in the cost function.

### Usage

```

setSd(odeModel, sd)

## S4 method for signature 'odeModel'
setSd(odeModel, sd)

```

### Arguments

odeModel	an object of the class odeModel
sd	a matrix with the standard deviations of the measurements

### Value

an object of odeModel

### Examples

```

data(uvbData)
data(uvbModel)

sd_uvz <- uvbData[,7:11]

```

```
newModel <- setSd(odeModel = uvbModel, sd = sd_uv)
```

---

 SETTINGS

*Automatic Calculation of optimal Initial Parameters*


---

### Description

Implemented according to Engelhardt et al. 2017.

### Usage

```
SETTINGS(  
  VARIANCE,  
  N,  
  BETA_LAMDBA,  
  alphainit,  
  betainit,  
  R = c(1000, 1000),  
  ROH = c(10, 10)  
)
```

### Arguments

VARIANCE	standard error of the observed stat dynamics (per time point)
N	number of system states
BETA_LAMDBA	mcmc tuning parameter (weighting of observed states)
alphainit	mcmc tuning parameter (weighting of observed states)
betainit	mcmc tuning parameter (weighting of observed states)
R	mcmc tuning parameter
ROH	mcmc tuning parameter

### Details

The function can be replaced by an user defined version if necessary.

### Value

A list of optimal initial parameters; i.e. R, Roh, Alpha, Beta, Tau, Lambda1, Lambda2

---

uvbData

*UVB signal pathway*

---

### Description

A data frame containing simulated values of the UVB Signaling pathway. The error of the system is synthetic and is added to the states x3 and x11. The model is taken from the works of Ouyang et al. <https://doi.org/10.1073/pnas.1412050111>

### Usage

uvbData

### Format

An object of class `data.frame` with 8 rows and 11 columns.

### Details

A data frame with 8 rows and 11 columns

**t** time in fractions of an hour

**y1** total amounts of UVR8 monomers

**y2** total amounts of COP1 monomers

**y3** total amounts of UVR8 dimers

**y4** concentration of elongated hypocotyl 5 (HY5) protein

**y5** concentration measured of UVR8 monomers

**y1std** standard deviation of the first measurement

**y2std** standard deviation of the second measurement

**y3std** standard deviation of the third measurement

**y4std** standard deviation of the fourth measurement

**y5std** standard deviation of the fifth measurement

### Source

<https://doi.org/10.1073/pnas.1412050111>



---

uvbModel

*An object of the odeModel Class*

---

**Description**

Object is used for demonstrating the functions of the odeModel Class. It is used in the demos for the uvb signaling pathway.

**Usage**

data(uvbModel)

**Format**

An object of class odeModel of length 1.

# Index

- \* **datasets**
  - Model, [16](#)
  - res, [23](#)
  - uvbData, [32](#)
  - uvbModel, [33](#)
  
- BDEN, [3, 4](#)
  
- confidenceBands, [6](#)
- confidenceBands, list, character, missing-method (confidenceBands), [6](#)
- confidenceBands, list, character, numeric-method (confidenceBands), [6](#)
- confidenceBands, resultsSeeds, character, missing-method (confidenceBands), [6](#)
- createCompModel, [7](#)
  
- DEN, [3, 7](#)
- Deriv, [3](#)
  
- estiStates, [10](#)
- estiStates, list, missing-method (estiStates), [10](#)
- estiStates, list, numeric-method (estiStates), [10](#)
- estiStates, resultsSeeds, missing-method (estiStates), [10](#)
  
- GIBBS\_update, [11](#)
  
- hiddenInputs, [12](#)
- hiddenInputs, list, missing-method (hiddenInputs), [12](#)
- hiddenInputs, list, numeric-method (hiddenInputs), [12](#)
- hiddenInputs, resultsSeeds, missing-method (hiddenInputs), [12](#)
  
- importSBML, [12](#)
  
- LOGLIKELIHOOD\_func, [13](#)
  
- MCMC\_component, [14](#)
- Model, [16](#)
  
- nominalSol, [16](#)
- nominalSol, odeModel-method (nominalSol), [16](#)
  
- ode, [3, 7](#)
- odeEquations (odeEquations-class), [17](#)
- odeEquations-class, [17](#)
- odeModel, [8](#)
- odeModel (odeModel-class), [18](#)
- odeModel-class, [18](#)
- optimal\_control\_gradient\_descent, [19](#)
- outputEstimates, [20](#)
- outputEstimates, list, missing-method (outputEstimates), [20](#)
- outputEstimates, list, numeric-method (outputEstimates), [20](#)
- outputEstimates, resultsSeeds, missing-method (outputEstimates), [20](#)
  
- plot, [21](#)
- plot, resultsSeeds, missing-method, [21](#)
- plotAnno, [22](#)
- plotAnno, list-method (plotAnno), [22](#)
- plotAnno, resultsSeeds-method (plotAnno), [22](#)
- print, resultsSeeds (print, resultsSeeds-method), [23](#)
- print, resultsSeeds-method, [23](#)
  
- res, [23](#)
- resultsSeeds (resultsSeeds-class), [24](#)
- resultsSeeds-class, [24](#)
  
- seeds (seeds-package), [3](#)
- seeds-package, [3](#)
- setInitState, [24](#)
- setInitState, odeModel-method (setInitState), [24](#)

setInput, [25](#)  
setInput,odeModel-method (setInput), [25](#)  
setMeas, [26](#)  
setMeas,odeModel-method (setMeas), [26](#)  
setMeasFunc, [27](#)  
setMeasFunc,odeModel, function, logical-method  
    (setMeasFunc), [27](#)  
setMeasFunc,odeModel, function, missing-method  
    (setMeasFunc), [27](#)  
setModelEquation, [28](#)  
setModelEquation,odeModel-method  
    (setModelEquation), [28](#)  
setParms, [29](#)  
setParms,odeModel, numeric-method  
    (setParms), [29](#)  
setSd, [30](#)  
setSd,odeModel-method (setSd), [30](#)  
SETTINGS, [31](#)  
  
uvbData, [32](#)  
uvbModel, [33](#)