

Package ‘ssmrob’

April 2, 2020

Type Package

Title Robust Estimation and Inference in Sample Selection Models

Version 0.8

Date 2020-04-01

Author Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

Maintainer Mikhail Zhelonkin <Mikhail.Zhelonkin@gmail.com>

Description Package provides a set of tools for robust estimation and inference for models with sample selectivity.

License GPL-2

Imports sampleSelection, robustbase, MASS

Suggests mvtnorm

NeedsCompilation no

Depends R (>= 3.5.0)

Repository CRAN

Date/Publication 2020-04-02 09:40:02 UTC

R topics documented:

ssmrob-package	2
coef.etregrob	3
coef.heckit5rob	4
coef.heckitrob	5
dLambdadSM	5
dLambdadSM5	6
etreg2steprobVcov	7
etregrob	8
fitted.etregrob	10
fitted.heckit5rob	10
fitted.heckitrob	11
heck2steprobVcov	12
heck5twosteprobVcov	13

heckit5rob	14
heckitrob	16
heckitrob.control	17
MEPS2001	18
MmatrM	19
model.matrix.etsregrob	20
model.matrix.heckit5rob	21
model.matrix.heckitrob	21
MROZ.RAW	22
nobs.heckitrob	23
print.etsregrob	24
print.heckit5rob	24
print.heckitrob	25
print.summary.etsregrob	25
print.summary.heckit5rob	26
print.summary.heckitrob	26
PsiMest	27
residuals.etsregrob	28
residuals.heckit5rob	28
residuals.heckitrob	29
ssmrob	30
summary.etsregrob	31
summary.heckit5rob	32
summary.heckitrob	33
vcov.etsregrob	33
vcov.heckit5rob	34
vcov.heckitrob	35
x2weight.covMcd	35
x2weight.robCov	36

Index	37
--------------	-----------

ssmrob-package

Robust Estimation and Inference in Sample Selection Models

Description

Package provides a set of tools for robust estimation and inference for models with sample selectivity.

Details

Package: ssmrob
 Type: Package
 Version: 0.8
 Date: 2020-04-01
 License: GPL-2

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

Maintainer: Mikhail Zhelonkin <Mikhail.Zhelonkin@gmail.com>

References

Heckman, J.J. (1979) Sample Selection Bias as a Specification Error. *Econometrica*, 47, p. 153-161.

Zhelonkin, M., Genton M.G., and Ronchetti, E. (2016) Robust Inference in Sample Selection Models. *Journal of the Royal Statistical Society, Series B*, 78, p. 805-827. doi: [10.1111/rssb.12136](https://doi.org/10.1111/rssb.12136)

See Also

[ssmrob](#), [etregrob](#), [heckitrob](#), [heckit5rob](#), [selection](#)

Examples

```
# Zhelonkin, Genton, Ronchetti (2016): page 823
data(MEPS2001)
selectEq <- dambexp ~ age + female + educ + blhisp + totchr + ins
outcomeEq <- lnambx ~ age + female + educ + blhisp + totchr + ins
meps.fit <- ssmrob(selectEq, outcomeEq, data = MEPS2001, control = heckitrob.control(tcc = 3.2))
summary(meps.fit)
```

coef.etregrob

Extract Coefficients from Robust Endogenous Treatment Model Fit

Description

Returns the coefficients of the robust two-stage estimator for endogenous treatment model.

Usage

```
## S3 method for class 'etregrob'
coef(object, ...)
```

Arguments

object	object of class "etregrob"
...	currently not used

Value

Returns a list of two vectors of parameters of two stages.

S coefficients of the selection equation.
0 coefficients of the outcome equation.

Author(s)

Mikhail Zhelonkin

coef.heckit5rob *Extract Coefficients from Robust Sample Selection Model Fit*

Description

Returns the coefficients of the robust two-stage estimator for simple Heckman's selection model or switching regression model.

Usage

```
## S3 method for class 'heckit5rob'  
coef(object, ...)
```

Arguments

object object of class "heckitrob" or "heckit5rob"
... currently not used

Value

Returns a list of two (censored) or three (switching) vectors of parameters of two stages.

S coefficients of the selection equation.
0 coefficients of the outcome equation(s).

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

coef.heckitrob	<i>Extract Coefficients from Robust Sample Selection Model Fit</i>
----------------	--

Description

Returns the coefficients of the robust two-stage estimator for simple Heckman's selection model or switching regression model.

Usage

```
## S3 method for class 'heckitrob'
coef(object, ...)
```

Arguments

object	object of class "heckitrob" or "heckit5rob"
...	currently not used

Value

Returns a list of two (censored) or three (switching) vectors of parameters of two stages.

S	coefficients of the selection equation.
0	coefficients of the outcome equation(s).

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

dLambdadSM	<i>Inverse Mills Ratio Derivative</i>
------------	---------------------------------------

Description

Computes a derivative of the inverse Mills ratio with respect to the parameter vector.

Usage

```
dLambdadSM(x, beta)
```

Arguments

x	vector of exogenous variables
beta	vector of parameters

Details

This function is necessary for computation of the asymptotic variance. In case of switching regressions the inverse Mills ratio term is different, and its derivative is computed in function dLambdadSM5. It can be also used to compute the influence function of the two-stage estimator.

Value

The gradient of the inverse Mills ratio is returned as a vector

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

References

Zhelonkin, M., Genton M.G., and Ronchetti, E. (2016) Robust Inference in Sample Selection Models. *Journal of the Royal Statistical Society, Series B*, 78, p. 805-827.

dLambdadSM5

Inverse Mills Ratio Derivative

Description

Computes a derivative of the inverse Mills ratio with respect to the parameter vector.

Usage

```
dLambdadSM5(x, beta)
```

Arguments

x	vector of exogenous variables
beta	vector of parameters

Details

This function is necessary for computation of the asymptotic variance. In case of switching regressions the inverse Mills ratio term is different, and its derivative is computed in function dLambdadSM5. It can also be used to compute the influence function of the two-stage estimator.

Value

The gradient of the inverse Mills ratio is returned as a vector

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

References

Zhelonkin, M., Genton M.G., and Ronchetti, E. (2016) Robust Inference in Sample Selection Models. *Journal of the Royal Statistical Society, Series B*, 78, p. 805-827.

etreg2steprobVcov *Variance Covariance Matrix*

Description

Computation of the asymptotic variance matrix of the robust Heckman's two-stage estimator for endogenous treatment model.

Usage

```
etreg2steprobVcov(y1vec, y2vec, x1Matr, x2Matr, eststage1, eststage2, eststage2sigma,
  weights = rep(1, nrow(y1vec)), t.c = 1.345)
```

Arguments

y1vec	vector of endogenous variables of the selection stage
y2vec	vector of endogenous variables of the outcome stage
x1Matr	matrix of exogenous variables of the selection stage
x2Matr	matrix of exogenous variables of the outcome stage
eststage1	object of class "glmrob", corresponding to the robust probit fit
eststage2	vector of the coefficients of the outcome stage
eststage2sigma	the robust scale estimate of the second stage regression
weights	robustness weights
t.c	tuning constant of the second stage

Details

The computation is made using the Huber (1967) - White (1980) sandwich estimator. In the computation of leverage weights the lambda's are assumed to be fixed.

Value

Variance covariance matrix of the second stage estimator

Author(s)

Mikhail Zhelonkin

References

Huber, P.J. (1967) The Behavior of Maximum Likelihood Estimates under Nonstandard Conditions. *Proceedings of the Fifth Berkeley Symposium on Mathematical Statistics and Probability*; L.M. LeCam, J. Neyman (Eds.), Berkeley: University of California Press, p. 221-233.

White, H.J. (1980) A Heteroskedasticity-Consistent Covariance Matrix Estimator and a Direct Test for Heteroskedasticity. *Econometrica*, 48, p. 817-838.

 etregrob

Robust Fit of Endogenous Treatment Model

Description

Fits the endogenous treatment model using a robust two-stage estimator

Usage

```
etregrob(selection, outcome, data, control = heckitrob.control())
```

Arguments

selection	formula, the selection equation
outcome	formula, the outcome equation
data	an optional data frame containing the variables in the model. If not found in data, the variables are taken from environment(formula), typically the environment from which etregrob is called.
control	a list of parameters for controlling the fitting process. The same list as for sample selection model

Details

Compute robust two-step estimates of the Endogenous Treatment Model. The robust probit is fitted in the first stage. In the second stage the Mallows type M-estimator is used instead of traditional OLS. The correction for endogeneity is made by means of control function, which is the inverse Mills ratio for a complete sample (see Maddala, 1983, p. 120-122). The values of the tuning constants and the robustness weights can be modified in [heckitrob.control](#).

Value

Object of class "etregrob".

coefficients	a named vector of coefficients
stage1	object of class glmrob that contains robust probit fit
stage2	object of class rlm that contains second stage robust fit. Note that the standard errors in this object are biased, since they are not corrected for the uncertainty in the first estimation step. Use vcov below

vcov	variance matrix of the second stage
sigma	the standard error of the error term of the outcome equation
CIMR	inverse Mills ratio for the complete sample
call	the matched call
method	method of estimation, currently only "robust two-stage" is implemented
converged	logical. Did all the estimators converge?
iterations	list containing the numbers of iterations

Note

The treatment variable is automatically included in the formula for the second estimation step, i.e. one should not add the dependent variable from the selection equation in the formula of the outcome equation.

Author(s)

Mikhail Zhelonkin

References

Maddala G.S. (1983) Limited-Dependent and Qualitative Variables in Econometrics. Cambridge: Cambridge University Press.

See Also

[glmrob](#), [rlm](#), [ssmrob](#), [heckitrob.control](#)

Examples

```
library(mvtnorm)
set.seed(2)
N <- 3000
beta1 <- c(1.0, 1.0, 0.75)
beta2 <- c(1.5, 1.0, 0.5)
alpha <- 1.25
x1 <- rmvnorm(N, mean = c(0, -1, 1), sigma = diag(c(1, 0.5, 1)))
x2 <- x1
x2[, 3] <- rnorm(N, 1, 1)
eps <- rmvnorm(N, mean = rep(0, 2), sigma = matrix(c(1, -0.7, -0.7, 1), 2, 2))
x1beta1 <- x1[, 1]*beta1[1] + x1[, 2]*beta1[2] + x1[, 3]*beta1[3]
x2beta2 <- x2[, 1]*beta2[1] + x2[, 2]*beta2[2] + x2[, 3]*beta2[3]
y1 <- ifelse(x1beta1 + eps[, 1] > 0, 1, 0)
y2 <- x2beta2 + alpha*y1 + eps[,2]
etm.ctrl <- heckitrob.control(weights.x1 = "hat", weights.x2 = "covMcd")
etmsim.fit <- etregrob(y1 ~ x1, y2 ~ x2, control = etm.ctrl)
summary(etmsim.fit)
```

fitted.etregrob	<i>Fitted values of endogenous treatment model</i>
-----------------	--

Description

Calculate the fitted values of the endogenous treatment model using robust fit.

Usage

```
## S3 method for class 'etregrob'  
fitted(object, ...)
```

Arguments

object	object of class " "etregrob"
...	currently not used

Value

vector of fitted values

Author(s)

Mikhail Zhelonkin

fitted.heckit5rob	<i>Fitted values of robust sample selection model</i>
-------------------	---

Description

Calculate the fitted values of the sample selection model using robust fit.

Usage

```
## S3 method for class 'heckit5rob'  
fitted(object, ...)
```

Arguments

object	object of class " "heckitrob" " or object of class " "heckit5rob" "
...	currently not used

Details

In case of truncated selection model one vector of fitted values is returned. In case of switching regression model a list, that contains two vectors corresponding to two regimes, is returned.

Value

vector of fitted values or a list that contains two vectors of fitted values

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

fitted.heckitrob	<i>Fitted values of robust sample selection model</i>
------------------	---

Description

Calculate the fitted values of the sample selection model using robust fit.

Usage

```
## S3 method for class 'heckitrob'  
fitted(object, ...)
```

Arguments

object	object of class "heckitrob" or object of class "heckit5rob"
...	currently not used

Details

In case of truncated selection model one vector of fitted values is returned. In case of switching regression model a list, that contains two vectors corresponding to two regimes, is returned.

Value

vector of fitted values or a list that contains two vectors of fitted values

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

heck2steprobVcov *Variance Covariance Matrix*

Description

Computation of the asymptotic variance matrix of the robust Heckman's two-stage estimator for truncated selection model.

Usage

```
heck2steprobVcov(y1vec, y2vec, x1Matr, x2Matr, eststage1, eststage2,
                 eststage2sigma, weights = rep(1,nrow(y1vec)), t.c = 1.345)
```

Arguments

y1vec	vector of endogenous variables of the selection stage
y2vec	vector of endogenous variables of the outcome stage
x1Matr	matrix of exogenous variables of the selection stage
x2Matr	matrix of exogenous variables of the outcome stage
eststage1	object of class "glmrob", corresponding to the robust probit fit
eststage2	vector of the coefficients of the outcome stage
eststage2sigma	the robust scale estimate of the second stage regression
weights	vector of robustness weights
t.c	tuning constant of the second stage

Details

The computation is made using the Huber (1967) - White (1980) sandwich estimator with Heckman (1979) correction. In the computation of leverage weights the lambda's are assumed to be fixed.

Value

Variance covariance matrix of the second stage estimator

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

References

- Heckman, J.J. (1979) Sample Selection Bias as a Specification Error. *Econometrica*, 47, p. 153-161.
- Huber, P.J. (1967) The Behavior of Maximum Likelihood Estimates under Nonstandard Conditions. *Proceedings of the Fifth Berkeley Symposium on Mathematical Statistics and Probability; L.M. LeCam, J. Neyman (Eds.), Berkeley: University of California Press*, p. 221-233.
- White, H.J. (1980) A Heteroskedasticity-Consistent Covariance Matrix Estimator and a Direct Test for Heteroskedasticity. *Econometrica*, 48, p. 817-838.

See Also[glmrob](#)

 heck5twosteprobVcov *Variance Covariance Matrix*

Description

Computation of the asymptotic variance matrix of the robust Heckman's two-stage estimator for the second regime of switching regression model, i.e. when $y_1 = 0$.

Usage

```
heck5twosteprobVcov(y1vec, y2vec, x1Matr, x2Matr, eststage1, eststage2,
                    eststage2sigma, weights = rep(1,nrow(y1vec)), t.c = 1.345)
```

Arguments

y1vec	vector of endogenous variables of the selection stage
y2vec	vector of endogenous variables of the outcome stage
x1Matr	matrix of exogenous variables of the selection stage
x2Matr	matrix of exogenous variables of the outcome stage
eststage1	object of class "glmrob", corresponding to the robust probit fit
eststage2	vector of the coefficients of the outcome stage
eststage2sigma	the robust scale estimate of the second stage regression
weights	vector of robustness weights
t.c	tuning constant of the second stage

Details

The computation is made using the Huber (1967) - White (1980) sandwich estimator with Heckman (1979) correction. In the computation of leverage weights the λ 's are assumed to be fixed.

Value

Variance covariance matrix of the second stage estimator

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

References

- Amemiya, T. (1984) Tobit Models: a Survey. *Journal of Econometrics*, 24, p. 3-61.
- Heckman, J.J. (1979) Sample Selection Bias as a Specification Error. *Econometrica*, 47, p. 153-161.
- Huber, P.J. (1967) The Behavior of Maximum Likelihood Estimates under Nonstandard Conditions. *Proceedings of the Fifth Berkeley Symposium on Mathematical Statistics and Probability; L.M. LeCam, J. Neyman (Eds.), Berkeley: University of California Press*, p. 221-233.
- White, H.J. (1980) A Heteroskedasticity-Consistent Covariance Matrix Estimator and a Direct Test for Heteroskedasticity. *Econometrica*, 48, p. 817-838.

heckit5rob

Robust Heckit Fit: Switching Regressions

Description

Fits the switching regression model with probit selection using a robust two-stage estimator

Usage

```
heckit5rob(selection, outcome1, outcome2, data, control = heckitrob.control())
```

Arguments

selection	formula, the selection equation
outcome1	formula, first outcome equation
outcome2	formula, second outcome equation
data	an optional data frame containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> , typically the environment from which <code>heckit5rob</code> is called.
control	a list of parameters for controlling the fitting process

Details

Compute robust two-stage estimates of the switching regression model with probit selection. The robust probit is fitted in the first stage. In the second stage the Mallows type M-estimators are used. The values of the tuning constants and the robustness weights can be modified in [heckitrob.control](#).

Value

Object of class "heckit5rob".

coefficients	a named vector of coefficients
stage1	object of class <code>glmrob</code> that contains (first stage) robust probit fit

stage21	object of class <code>r1m</code> that contains second stage first regime robust fit. Note that the standard errors in this object are biased, since they are not corrected for the uncertainty in the first estimation step. Use <code>vcov1</code> below
stage22	object of class <code>r1m</code> that contains second stage second regime robust fit. Note that the standard errors in this object are biased, since they are not corrected for the uncertainty in the first estimation step. Use <code>vcov2</code> below
vcov1	variance matrix of the second stage first regime
vcov2	variance matrix of the second stage second regime
sigma1	the standard error of the error term of the outcome equation when $y_1=1$
sigma2	the standard error of the error term of the outcome equation when $y_1=0$
IMR1	inverse Mills ratio for the case when $y_1=1$
IMR2	inverse Mills ratio for the case when $y_1=0$
call	the matched call
method	method of estimation, currently only "robust two-stage" is implemented
converged	logical. Did all the estimators converge?
iterations	list containing the numbers of iterations

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

References

Heckman, J.J. (1979) Sample Selection Bias as a Specification Error. *Econometrica*, 47, p. 153-161.

Zhelonkin, M., Genton M.G., and Ronchetti, E. (2016) Robust Inference in Sample Selection Models. *Journal of the Royal Statistical Society, Series B*, 78, p. 805-827. doi: [10.1111/rssb.12136](https://doi.org/10.1111/rssb.12136)

See Also

[glmrob](#), [r1m](#), [ssmrob](#), [heckitrob](#), [heckitrob.control](#)

Examples

```
## Not run:
library(mvtnorm)
set.seed(2)
N <- 5000
beta1 <- c(0, 1.0, 1.0, 0.75)
beta21 <- c(0, 1.5, 1.0, 0.5)
beta22 <- c(1, -1.5, 1.0, 0.5)
covm <- diag(3)
covm[lower.tri(covm)] <- c(0.75, 0.5, 0.25)
covm[upper.tri(covm)] <- covm[lower.tri(covm)]
eps <- rmvnorm(N, rep(0, 3), covm)
x1 <- rmvnorm(N, mean=c(0, -1, 1), sigma=diag(c(1, 0.5, 1)))
x21 <- x1
```

```

x22 <- x1
x21[, 3] <- rnorm(N, 1, 1)
x22[, 3] <- rnorm(N, 1, 1)
x1beta1 <- beta1[1] + x1[, 1]*beta1[2] + x1[, 2]*beta1[3] + x1[, 3]*beta1[4]
x21beta21 <- beta21[1] + x21[, 1]*beta21[2] + x21[, 2]*beta21[3] + x21[, 3]*beta21[4]
x22beta22 <- beta22[1] + x22[, 1]*beta22[2] + x22[, 2]*beta22[3] + x22[, 3]*beta22[4]
y1 <- ifelse(x1beta1 + eps[, 1] > 0, 1, 0)
y2 <- ifelse(y1 > 0.5, x21beta21 + eps[, 2],
x22beta22 + eps[, 3])
srsim.fit <- ssmrob(y1 ~ x1, list(y2 ~ x21, y2 ~ x22),
control = heckitrob.control(weights.x1 = "hat", weights.x2 = "covMcd"))
summary(srsim.fit)

## End(Not run)

```

heckitrob

Robust Heckit Fit

Description

Fits the sample selection model using a robust two-stage estimator

Usage

```
heckitrob(selection, outcome, data, control = heckitrob.control())
```

Arguments

selection	formula, the selection equation
outcome	formula, the outcome equation
data	an optional data frame containing the variables in the model. If not found in data, the variables are taken from environment(formula), typically the environment from which heckitrob is called.
control	a list of parameters for controlling the fitting process

Details

Compute robust two-stage estimates of the Heckman's selection model. The robust probit is fitted in the first stage. In the second stage the Mallows type M-estimator is used. The values of the tuning constants and the robustness weights can be modified in [heckitrob.control](#).

Value

Object of class "heckitrob".

coefficients	a named vector of coefficients
stage1	object of class glmrob that contains robust probit fit

stage2	object of class <code>r1m</code> that contains second stage robust fit. Note that the standard errors in this object are biased, since they are not corrected for the uncertainty in the first estimation step. Use <code>vcov</code> below
vcov	variance matrix of the second stage
sigma	the standard error of the error term of the outcome equation
IMR1	inverse Mills ratio for the case when <code>y_1=1</code>
call	the matched call
method	method of estimation, currently only "robust two-stage" is implemented
converged	logical. Did all the estimators converge?
iterations	list containing the numbers of iterations

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

References

- Cameron, C.A., Trivedi, P.K. (2009) *Microeconometrics Using Stata*. College Station, TX: Stata Press.
- Heckman, J.J. (1979) Sample Selection Bias as a Specification Error. *Econometrica*, 47, p. 153-161.
- Zhelonkin, M., Genton M.G., and Ronchetti, E. (2016) Robust Inference in Sample Selection Models. *Journal of the Royal Statistical Society, Series B*, 78, p. 805-827. doi: [10.1111/rssb.12136](https://doi.org/10.1111/rssb.12136)

See Also

[glmrob](#), [r1m](#), [ssmrob](#), [heckitrob.control](#), [heckit5rob](#), [etregrob](#)

Examples

```
# Zhelonkin, Genton, Ronchetti (2016): page 823
data(MEPS2001)
selectEq <- dambexp ~ age + female + educ + blhisp + totchr + ins
outcomeEq <- lnambx ~ age + female + educ + blhisp + totchr + ins
meps.fit <- ssmrob(selectEq, outcomeEq, data = MEPS2001, control = heckitrob.control(tcc = 3.2))
summary(meps.fit)
```

heckitrob.control *Auxiliary for Controlling Robust Fitting*

Description

Auxiliary function used for fitting the sample selection models. Contains control sequences, tuning constants and robustness weight functions.

Usage

```
heckitrob.control(acc = 1e-04, test.acc = "coef", maxit = 50, maxit0 = 50,
                 weights.x1 = c("none", "hat", "robCov", "covMcd"),
                 weights.x2 = c("none", "hat", "robCov", "covMcd"),
                 tcc = 1.345, t.c = 1.345)
```

Arguments

acc	positive convergence level
test.acc	only "coef" is currently implemented
maxit	integer giving the maximum number of iterations: selection equation
maxit0	integer giving the maximum number of iterations: outcome equation
weights.x1	vector of robustness weights controlling for the leverage effect in the selection equation
weights.x2	vector of robustness weights controlling for the leverage effect in the outcome equation
tcc	tuning constant c for Huber's psi-function for the selection stage
t.c	tuning constant c for Huber's psi-function for the outcome stage

Value

A list with the arguments as components.

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

MEPS2001

Ambulatory Expenditures Data

Description

The dataset is an extract from the Medical Expenditures Panel Survey. Sample of 3328 observations, with 526 zero expenditures. It was used for illustrative examples by Cameron and Trivedi (2009, Chapter 16).

Usage

```
data(MEPS2001)
```

Format

A data frame with 3328 observations on the following 12 variables.

educ Educational attainment, in years.

age Age.

income Income.

female Logical, TRUE if female.

totchr Number of chronic diseases.

age2 Age squared

ambexp Ambulatory expenditures.

lambexp Log ambulatory expenditures.

blhisp Ethnicity. Logical, TRUE if black or hispanic.

dambexp Logical, TRUE if the ambulatory expenditures are greater than zero.

lnambx Log ambulatory expenditures, with zeros replacing NA's.

ins Insurance status. Logical, TRUE if insured.

Source

2001 Medical Expenditure Panel Survey by the Agency for Healthcare Research and Quality.

References

Cameron, C.A. and Trivedi, P.K. (2009) *Microeconometrics Using Stata*, College Station, TX: Stata Press.

Examples

```
data(MEPS2001)
summary(MEPS2001)
```

MmatrM

M Matrix

Description

M matrix of a linear regression M-estimator of Mallows type.

Usage

```
MmatrM(x, y, beta, sigma, t.c = 1.345, weights = 1)
```

Arguments

x	matrix of explanatory variables
y	vector of dependent variables
beta	vector of parameters
sigma	robust scale estimate
t.c	tuning constant c for Huber's psi-function
weights	vector of robustness weights controlling for the leverage effects

Details

Computes the M matrix of the M-estimator of Mallows type. In current implementation only the Huber score function is available.

Value

M matrix for the sandwich formula.

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

model.matrix.etregrob *Design Matrix of Endogenous Treatment Model*

Description

Create design matrix of endogenous treatment model

Usage

```
## S3 method for class 'etregrob'
model.matrix(object, part = "outcome", ...)
```

Arguments

object	object of class etregrob
part	character string indicating which matrix to extract: "outcome" for the outcome equation, "selection" for the selection equation.
...	currently not used

Value

If argument part is "outcome", the design matrix of the outcome equation is returned.
If argument part is "selection", the design matrix of the selection equation is returned.

Author(s)

Mikhail Zhelonkin

`model.matrix.heckit5rob`*Design Matrix of Switching Regression Model*

Description

Create design matrix of switching regression model

Usage

```
## S3 method for class 'heckit5rob'  
model.matrix(object, part = "outcome", ...)
```

Arguments

<code>object</code>	object of class <code>heckit5rob</code>
<code>part</code>	character string indicating which matrix to extract: "outcome" for the outcome equations, "selection" for the selection equation.
<code>...</code>	currently not used

Value

If argument `part` is "outcome", the list containing design matrices of the outcome equations is returned.

<code>stage21</code>	design matrix for the first regime
<code>stage22</code>	design matrix for the second regime

If argument `part` is "selection", the design matrix of the selection equation is returned.

Author(s)

Mikhail Zhelonkin

`model.matrix.heckitrob`*Design Matrix of Sample Selection Model*

Description

Create design matrix of sample selection model

Usage

```
## S3 method for class 'heckitrob'  
model.matrix(object, part = "outcome", ...)
```

Arguments

object	object of class <code>heckitrob</code>
part	character string indicating which matrix to extract: "outcome" for the outcome equation, "selection" for the selection equation.
...	currently not used

Value

If argument `part` is "outcome", the design matrix of the outcome equation is returned.

If argument `part` is "selection", the design matrix of the selection equation is returned.

Author(s)

Mikhail Zhelonkin

MROZ.RAW

Wage Offer Data

Description

Sample of 753 observations, with 325 truncated observations.

Usage

```
data(MROZ.RAW)
```

Format

A data frame with 753 observations on the following 22 variables.

`inlf` Logical, TRUE if in labor force.

`hours` Hours worked by wife in 1975.

`kids1t6` Number of young children, 5 year or younger.

`kidsge6` Number of children greater than 6 years of age.

`age` Wife's age.

`educ` Education level in years.

`wage` Average hourly earnings in 1975.

`repwage` Wife's wage reported at the time of the 1976 interview.

`hushrs` Husband's hours worked in 1975.

`husage` Husband's age.

`huseduc` Husband's education in years.

`huswage` Husband's wage in 1975.

`faminc` Family income in 1975.

mtr Marginal tax rate facing the wife.
 motheduc Wife's mother's education in years.
 fatheduc Wife's father's education in years.
 unem Unemployment rate in county of residence.
 city Logical, TRUE if live in large city.
 exper Wife's labor market experience in years.
 nwifeinc Non-wife income, households's total money minus wife's labor income.
 lwage Wife's log-wage.
 expersq Wife's squared experience.

References

Mroz , T.A. (1987) The Sensitivity of an Empirical Model of Married Women's Hours of Work to Economic and Statistical Assumptions. *Econometrica*, 55, p. 765-799.
 Wooldridge, J.M. (2002) *Econometric Analysis of Cross Section and Panel Data*, Cambridge MA: MIT Press.

Examples

```

data(MROZ.RAW)
summary(MROZ.RAW)

```

nobs.heckitrob	<i>Number of Observations</i>
----------------	-------------------------------

Description

Number of observations

Usage

```

## S3 method for class 'heckitrob'
nobs(object, ...)

```

Arguments

object	object of class heckitrob, or heckit5rob or etregrob
...	currently not used

Author(s)

Mikhail Zhelonkin

print.eregrob *Print a eteregrob Object*

Description

Print an object generated by [eteregrob](#)

Usage

```
## S3 method for class 'eteregrob'  
print(x, digits = 4, ...)
```

Arguments

x	object of eteregrob class
digits	number of significant digits to be printed
...	currently not used

Author(s)

Mikhail Zhelonkin

See Also

[eteregrob](#)

print.heckit5rob *Print a heckit5rob Object*

Description

Print an object generated by [ssmrob](#)

Usage

```
## S3 method for class 'heckit5rob'  
print(x, digits = 4, ...)
```

Arguments

x	object returned from the heckit5rob representing the fit of the model
digits	number of significant digits to be printed
...	currently not used

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

See Also

[ssmrob](#)

print.heckitrob	<i>Print a heckitrob Object</i>
-----------------	---------------------------------

Description

Print an object generated by [ssmrob](#)

Usage

```
## S3 method for class 'heckitrob'  
print(x, digits = 4, ...)
```

Arguments

x	object returned from the heckitrob representing the fit of the model
digits	number of significant digits to be printed
...	currently not used

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

See Also

[ssmrob](#)

print.summary.etregrob	<i>Print Function for summary. etregrob</i>
------------------------	---

Description

Print a [summary. etregrob](#) object

Usage

```
## S3 method for class 'summary. etregrob'  
print(x, digits = 4, ...)
```

Arguments

x	Object of class <code>summary.etregrab</code> returned by a summary function
digits	number of nonzero digits after comma
...	currently not used

Author(s)

Mikhail Zhelonkin

```
print.summary.heckit5rob
```

Print Function for summary.heckit5rob

Description

Print a `summary.heckit5rob` object

Usage

```
## S3 method for class 'summary.heckit5rob'
print(x, digits = 4, ...)
```

Arguments

x	Object of class <code>summary.heckit5rob</code> returned by a summary function
digits	number of nonzero digits after comma
...	currently not used

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

```
print.summary.heckitrob
```

Print Function for summary.heckitrob

Description

Print a `summary.heckitrob` object

Usage

```
## S3 method for class 'summary.heckitrob'
print(x, digits = 4, ...)
```

Arguments

x	Object of class <code>summary.heckitrob</code> returned by a summary function
digits	number of nonzero digits after comma
...	currently not used

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

PsiMest

Score Function of the Mallows M-Estimator

Description

Score function of the Mallows-type M-estimator.

Usage

```
PsiMest(x, y, beta, sigma, t.c, weight)
```

Arguments

x	vector of exogenous variables
y	scalar endogenous variable
beta	parameter vector
sigma	std.error
t.c	tuning constant of Huber Psi-function
weight	scalar weight on the exogenous variables

Details

Can be used to compute the influence function of the estimator. Also can be used to approximate the bias of the estimator.

Value

score of the Psi-function

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

References

Hampel, Ronchetti, Rousseeuw, Stahel (1986). *Robust Statistics: The Approach Based on Influence Functions*. New York: Wiley.

residuals.etregrob *Residuals of Robust Endogenous Treatment Model Fit*

Description

Calculate the residuals of the endogenous treatment model using robust fit.

Usage

```
## S3 method for class 'etregrob'
residuals(object, ...)
```

Arguments

object	object of class " "etregrob"
...	currently not used

Value

numeric vector of residuals.

Author(s)

Mikhail Zhelonkin

See Also

[etregrob](#)

residuals.heckit5rob *Residuals of Robust Sample Selection Model Fit*

Description

Calculate the residuals of the sample selection model using robust fit.

Usage

```
## S3 method for class 'heckit5rob'
residuals(object, ...)
```

Arguments

object	object of class " "heckitrob" " or object of class " "heckit5rob" "
...	currently not used

Details

In case of truncated selection model one vector of residuals is returned. In case of switching regression model a list containing two vectors corresponding to two regimes is returned.

Value

The numeric vector(s) of the residuals.

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

See Also

[heckitrob](#); [heckit5rob](#)

residuals.heckitrob *Residuals of Robust Sample Selection Model Fit*

Description

Calculate the residuals of the sample selection model using robust fit.

Usage

```
## S3 method for class 'heckitrob'  
residuals(object, ...)
```

Arguments

object	object of class " heckitrob " or object of class " heckit5rob "
...	currently not used

Details

In case of truncated selection model one vector of residuals is returned. In case of switching regression model a list containing two vectors corresponding to two regimes is returned.

Value

vector(s) of residuals.

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

See Also

[heckitrob](#); [heckit5rob](#)

`ssmrob`*Robust Sample Selection Model*

Description

Compute robust two-stage estimates of truncated selection model (Tobit-2) and switching regression model (Tobit-5).

Usage

```
ssmrob(selection, outcome, data, control = heckitrob.control())
```

Arguments

<code>selection</code>	formula, the selection equation
<code>outcome</code>	formula(s), the outcome equation(s)
<code>data</code>	an optional data frame containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> , typically the environment from which <code>ssmrob</code> is called.
<code>control</code>	a list of parameters for controlling the fitting process

Details

Outcome equation may be a simple formula for the case of Heckman selection model, or a list of two formulas for the case of switching regressions.

Value

Object of class "heckitrob" or object of class "heckit5rob".

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

References

Amemiya, T. (1984) Tobit Models: a Survey. *Journal of Econometrics*, 24, p. 3-61.

Heckman, J.J. (1979) Sample Selection Bias as a Specification Error. *Econometrica*, 47, p. 153-161.

Zhelonkin, M., Genton M.G., and Ronchetti, E. (2016) Robust Inference in Sample Selection Models. *Journal of the Royal Statistical Society, Series B*, 78, p. 805-827. doi: [10.1111/rssb.12136](https://doi.org/10.1111/rssb.12136)

See Also

[heckitrob](#), [heckit5rob](#)

Examples

```

# sample selection model (Tobit-2)
# Zhelonkin, Genton, Ronchetti (2016): page 823
data(MEPS2001)
selectEq <- dambexp ~ age + female + educ + blhisp + totchr + ins
outcomeEq <- lnambx ~ age + female + educ + blhisp + totchr + ins
meps.fit <- ssmrob(selectEq, outcomeEq, data = MEPS2001, control = heckitrob.control(tcc = 3.2))
summary(meps.fit)

# switching regressions example (Tobit-5)
## Not run:
library(mvtnorm)
set.seed(2)
N <- 5000
beta1 <- c(0, 1.0, 1.0, 0.75)
beta21 <- c(0, 1.5, 1.0, 0.5)
beta22 <- c(1, -1.5, 1.0, 0.5)
covm <- diag(3)
covm[lower.tri(covm)] <- c(0.75, 0.5, 0.25)
covm[upper.tri(covm)] <- covm[lower.tri(covm)]
eps <- rmvnorm(N, rep(0, 3), covm)
x1 <- rmvnorm(N, mean=c(0, -1, 1), sigma=diag(c(1, 0.5, 1)))
x21 <- x1
x22 <- x1
x21[, 3] <- rnorm(N, 1, 1)
x22[, 3] <- rnorm(N, 1, 1)
x1beta1 <- beta1[1] + x1[, 1]*beta1[2] + x1[, 2]*beta1[3] + x1[, 3]*beta1[4]
x21beta21 <- beta21[1] + x21[, 1]*beta21[2] + x21[, 2]*beta21[3] + x21[, 3]*beta21[4]
x22beta22 <- beta22[1] + x22[, 1]*beta22[2] + x22[, 2]*beta22[3] + x22[, 3]*beta22[4]
y1 <- ifelse(x1beta1 + eps[, 1] > 0, 1, 0)
y2 <- ifelse(y1 > 0.5, x21beta21 + eps[, 2],
x22beta22 + eps[, 3])
srsim.fit <- ssmrob(y1 ~ x1, list(y2 ~ x21, y2 ~ x22),
control = heckitrob.control(weights.x1 = "hat", weights.x2 = "covMcd"))
summary(srsim.fit)

## End(Not run)

```

summary.etregrob

*Summarizing Robust Fits of Endogenous Treatment Models***Description**

Summarizes robust fit of endogenous treatment models.

Usage

```

## S3 method for class 'etregrob'
summary(object, ...)

```

Arguments

object object of class "[etregrob](#)"
 ... currently not used

Value

object of class "summary.etregrob"

Author(s)

Mikhail Zhelonkin

See Also

[etregrob](#)

summary.heckit5rob *Summarizing Robust Fits of Sample Selection Models*

Description

Summarize robust fit of Heckman selection model.

Usage

```
## S3 method for class 'heckit5rob'
summary(object, ...)
```

Arguments

object object of class "[heckitrob](#)" or "[heckit5rob](#)"
 ... currently not used

Value

object of class "summary.heckitrob" or object of class "summary.heckit5rob"

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

See Also

[heckitrob](#); [heckit5rob](#); [heck2steprobVcov](#); [heck5twosteprobVcov](#)

summary.heckitrob *Summarizing Robust Fits of Sample Selection Models*

Description

Summarize robust fit of Heckman selection model.

Usage

```
## S3 method for class 'heckitrob'  
summary(object, ...)
```

Arguments

object	object of class "heckitrob" or "heckit5rob"
...	currently not used

Value

object of class "summary.heckitrob" or object of class "summary.heckit5rob"

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

See Also

[heckitrob](#); [heckit5rob](#); [heck2steprobVcov](#); [heck5twosteprobVcov](#)

vcov.etregrob *Extract Asymptotic Variance Covariance Matrix*

Description

Extracts the variance covariance matrix of the robust endogenous treatment model fit

Usage

```
## S3 method for class 'etregrob'  
vcov(object, ...)
```

Arguments

object	object of class "etregrob"
...	currently not used

Value

Variance covariance matrix of the second stage. Variance covariance matrix of the selection stage can be extracted using the `vcov` function for the probit estimator, e.g. `vcov(etregrob.object$stage1)`.

Author(s)

Mikhail Zhelonkin

See Also

[etreg2steprobVcov](#)

vcov.heckit5rob

Extract Asymptotic Variance Covariance Matrix

Description

Extract the variance covariance matrix of the robust sample selection model fit

Usage

```
## S3 method for class 'heckit5rob'
vcov(object, ...)
```

Arguments

<code>object</code>	object of class " heckitrob " or object of class " heckit5rob "
<code>...</code>	currently not used

Value

Variance covariance matrix of the second stage. Variance covariance matrix of the selection stage can be extracted using the `vcov` function for the probit estimator, e.g. `vcov(heckitrob.object$stage1)`.

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

See Also

[heck2steprobVcov](#)

vcov.heckitrob	<i>Extract Asymptotic Variance Covariance Matrix</i>
----------------	--

Description

Extract the variance covariance matrix of the robust sample selection model fit

Usage

```
## S3 method for class 'heckitrob'
vcov(object, ...)
```

Arguments

object	object of class " heckitrob " or object of class " heckit5rob "
...	currently not used

Value

Variance covariance matrix of the second stage. Variance covariance matrix of the selection stage can be extracted using the vcov function for the probit estimator, e.g. `vcov(heckitrob.object$stage1)`.

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

See Also

[heck2steprobVcov](#)

x2weight.covMcd	<i>Robustness Weights</i>
-----------------	---------------------------

Description

Auxiliary function. Computation of the leverage weights based on robust Mahalanobis distance. For computation of location and scatter the MCD method is used.

Usage

```
x2weight.covMcd(xMat)
```

Arguments

xMat	matrix of explanatory variables
------	---------------------------------

Value

vector of weights

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

See Also

[cov.rob](#)

x2weight.robCov

Robustness Weights

Description

Auxiliary function. Computation of the leverage weights based on robust Mahalanobis distance. For computation of location and scatter the MVE method is used.

Usage

```
x2weight.robCov(xMat)
```

Arguments

xMat matrix of explanatory variables

Value

vector of weights

Author(s)

Mikhail Zhelonkin, Marc G. Genton, Elvezio Ronchetti

See Also

[cov.rob](#)

Index

- *Topic **Asymptotic variance**
 - etreg2steprobVcov, [7](#)
 - heck2steprobVcov, [12](#)
 - heck5twosteprobVcov, [13](#)
- *Topic **Endogenous treatment**
 - etregrob, [8](#)
 - ssmrob-package, [2](#)
- *Topic **Influence Function**
 - PsiMest, [27](#)
- *Topic **M-estimator**
 - coef.heckit5rob, [4](#)
 - coef.heckitrob, [5](#)
- *Topic **Minimum covariance determinant**
 - x2weight.covMcd, [35](#)
- *Topic **Minimum volume ellipsoid**
 - x2weight.robCov, [36](#)
- *Topic **Psi-function**
 - PsiMest, [27](#)
- *Topic **Robust estimation**
 - ssmrob, [30](#)
 - ssmrob-package, [2](#)
- *Topic **Robust estimator**
 - etregrob, [8](#)
 - heckit5rob, [14](#)
 - heckitrob, [16](#)
- *Topic **Robust two-stage**
 - coef.heckit5rob, [4](#)
 - coef.heckitrob, [5](#)
- *Topic **Robust weights**
 - heckitrob.control, [17](#)
- *Topic **Sample selection**
 - heckit5rob, [14](#)
 - heckitrob, [16](#)
 - ssmrob, [30](#)
 - ssmrob-package, [2](#)
- *Topic **Switching regressions**
 - coef.heckit5rob, [4](#)
 - coef.heckitrob, [5](#)
- *Topic **Tuning constant**
 - heckitrob.control, [17](#)
- *Topic **inverse Mills ratio**
 - dLambdadSM, [5](#)
 - dLambdadSM5, [6](#)
- coef.etregrob, [3](#)
- coef.heckit5rob, [4](#)
- coef.heckitrob, [5](#)
- cov.rob, [36](#)
- dLambdadSM, [5](#)
- dLambdadSM5, [6](#)
- etreg2steprobVcov, [7](#), [34](#)
- etregrob, [3](#), [8](#), [10](#), [17](#), [24](#), [28](#), [32](#), [33](#)
- fitted.etregrob, [10](#)
- fitted.heckit5rob, [10](#)
- fitted.heckitrob, [11](#)
- glmrob, [9](#), [13](#), [15](#), [17](#)
- heck2steprobVcov, [12](#), [32–35](#)
- heck5twosteprobVcov, [13](#), [32](#), [33](#)
- heckit5rob, [3–5](#), [10](#), [11](#), [14](#), [17](#), [24](#), [28–30](#), [32–35](#)
- heckitrob, [3–5](#), [10](#), [11](#), [15](#), [16](#), [25](#), [28–30](#), [32–35](#)
- heckitrob.control, [8](#), [9](#), [14–17](#), [17](#)
- MEPS2001, [18](#)
- MmatrM, [19](#)
- model.matrix.etregrob, [20](#)
- model.matrix.heckit5rob, [21](#)
- model.matrix.heckitrob, [21](#)
- MROZ.RAW, [22](#)
- nobs.etregrob (nobs.heckitrob), [23](#)
- nobs.heckit5rob (nobs.heckitrob), [23](#)
- nobs.heckitrob, [23](#)

print.eregrob, 24
print.heckit5rob, 24
print.heckitrob, 25
print.summary.eregrob, 25
print.summary.heckit5rob, 26
print.summary.heckitrob, 26
PsiMest, 27

residuals.eregrob, 28
residuals.heckit5rob, 28
residuals.heckitrob, 29
rlm, 9, 15, 17

selection, 3
ssmrob, 3, 9, 15, 17, 24, 25, 30
ssmrob-package, 2
summary.eregrob, 25, 31
summary.heckit5rob, 26, 32
summary.heckitrob, 26, 33

vcov.eregrob, 33
vcov.heckit5rob, 34
vcov.heckitrob, 35

x2weight.covMcd, 35
x2weight.robCov, 36